INDEX TO VOLUME 10

AUTHOR INDEX

ABARBANEL, A. R.: Adjuvant use of pregnenolone in seminal inadequacy, 840†
——: Thyroid extract versus thyroxine. Critical evaluation with particular reference to infertility, 837†
ABEL, T. M., *see* HARRIS, M. M., 838†
ABINZANO, C., *see* ARGONZ, J., 1579*
ADAMS, E. E., *see* MOE, R. H., 1022*
ADAMS, J. E., *see* BENTINCK, R. C., 806†
ADLER, E. H.: (Letter to the Editor) A method for accurately weighing the markedly overweight: an easily applied technique, 359*
ADLERSBERG, D.; SCHAEFER, L. E., and DRITCH, R.: Studies on hormonal control of serum lipid partition in man, 814†
AIKEN, J. B., *see* STARR, P., 1237*
ALBERT, A., *see* JOHNSON, C. E., 371*
ALBRIGHT, F., *see* FORBES, A. P., 230*
——, *see* HOWARD, R. P., 121*
ALLEN, W. M.: A simple method for analyzing complicated absorption curves, of use in the colorimetric determination of urinary steroids, 71*
——; HAYWARD, S. J., and PINTO, A.: A color test for dehydroisoandrosterone and closely related steroids, of use in the diagnosis of adrenal cortical tumors, 54*
ALPERT, L. K., *see* ZIMMERMAN, H. J., 821†
ANDERSON, C., *see* KINSELL, L., 815†
ANDERSON, G., *see* MARGEN, S., 834†
ANDREWS, F. N.: Natural and experimental alteration of thyroid function in domestic animals, 1142*
ARCHIBALD, R. M.: Frequency of retarded bone age in a group of enuretic children, 833†
ARGONZ, J., and ABINZANO, C.: Premenstrual tension treated with vitamin A, 1579*
ARNSTEIN, L. H., *see* BENTINCK, R. C., 806†
ARRICK, M. S.: Familial insulin-resistant diabetes mellitus, 840†
ARZAC, J. P.: Glycogen in human testicular biopsy material. Preliminary report, 1465*
AXELROD, A. R., and BERMAN, L.: Observations on the relationship between bone marrow activity and thyroid function, 812†

BACHRACH, S., *see* FREEMAN, H., 1523*
BARFIELD, W. E., *see* GREENBLATT, R. B., 886*
——, *see* GREENBLATT, R. B., 1547*
BARKER, S. B., and HUMPHREY, M. J.: Clinical determination of protein-bound iodine in plasma, 1136*
——; KLITGAARD, H. M., ; DIRKS, H. B., JR.; WAWZONEK, S., and WANG, S. C.: Thyroxine-like activity of acrylic analogues of thyroxine, 813†
BARKER, O. C., *see* COMMONS, R. R., 816†
BARTELS, E. C.: Basal metabolic rate and plasma cholesterol as aids in the clinical study of thyroid disease, 1126*
BARTON, H., *see* MARGEN, S., 834†
BAYER, D. I., *see* REILLY, W. A., 811†
BAYER, L. M.: Growth and maturation in a case of idiopathic precocious puberty, 839†
BELL, E. T.: The incidence of vascular disease in diabetes, 828†
BENNETT, L. L.; WEINBERGER, H.; ESCAMILLA, R.; MARGEN, S.; LI, C. H., and EVANS, H. M.: Failure of hypophyseal growth hormone to produce nitrogen storage in a girl with hypophyseal dwarfism, 492*
——; WHITNEY, J. E., and GLAFKIDES, C.: Modification of the metabolic effects of adrenocorticotropic hormone and growth hormone by the administration of a diet high in potassium chloride, 826†
——, *see* ESCAMILLA, R. F., 817†
BENNETT, W. A., *see* SPRAGUE, R. G., 289*
BENSON, R. C., and TRAUT, H. F.: The vaginal smear as a diagnostic and prognostic aid in abortion, 675*
BENTINCK, R. C.; GORDAN, G. S.; ADAMS, J. E.; ARNSTEIN, L. H., and LEAKE, T. B.: Action of steroids on cerebral metabolism, 806†
——; LISSER, H.; HINMAN, F., and TRAUT, H. C.: Familial female pseudohermaphrodism, 818†
BERARDINELLI, W.: Two cases of Albright's syndrome observed in Brazil, 1499*

* Original article.

† Abstract of paper presented at the Thirty-second Annual Meeting of the Association for the Study of Internal Secretions.

BERMAN, L., *see* AXELROD, A. R., 812†

BERSTEIN, M., *see* KOCH, H. J., JR., 1029*

BISKIND, G. R., *see* NYDA, M. J., 818†

BLUMGART, H. L., *see* FREEDBERG, A. S., 1270*

BODA, J., *see* COLE, H. H., 432*

BOMZE, E. J., and FRIEDMAN, N. B.: Interrelations between the adrenal cortex and lymphoid tissues: growth of adrenal transplants in spleen and thymus with local thymic atrophy, 819†

BONNER, C. D., *see* HOMBURGER, F., 1591*

BORS, E.; ENGLE, E. T.; ROSENQUIST, R. C., and HOLLIGER, V. H.: Fertility in paraplegic males: a preliminary report of endocrine studies, 381*

BRECHER, E., *see* GROSSMAN, S., 729*

BRODY, E. B.; MAN, E. B., and MOORE, B. E.: The influence of bilateral prefrontal lobotomy on thyroid activity in psychiatric patients, 716*

BROWN, E. M., JR.; DOHAN, F. C.; FREEDMAN, L. R.; DEMOOR, P., and LUKENS, F. D. W.: The effects of prolonged perfusion of the dog's pancreas with glucose, 805†

——; LUKENS, F. D. W.; ELKINTON, J. R., and DEMOOR, P.: Observations on the metabolic and antiarthritic effects of ACTH and cortisone in diabetics, 1363*

BROWN, H., *see* WEST, C. D., 832†

BROWN, N., *see* GREENBLATT, R. B., 886*

BUCHBERG, A. S., *see* GROSSMAN, S., 729*

BUCK, G., *see* KOFFLER, I., 897*

BURNETT, C. H., *see* MCKAY, D. G., 540*

BURNS, J. F., *see* LEVIN, E., 807†

BURROWS, B. A., *see* MCKAY, D. G., 540*

CAHILL, G. F., *see* MELICOW, M. M., 24*

CALK, G. L., *see* GREENBLATT, R. B., 1547*

CALKINS, E.; DANA, G. W.; SEED, J. C.; and HOWARD, J. E.: On piperidylmethylbenzodioxane (944-F), hypertension, and pheochromocytoma, 1*

CARBONE, J., *see* KINSELL, L., 815†

CAREY, N.: The effect of crude anterior preparation on hemopoiesis in normal, thyroidectomized and gonadectomized rats, 836†

——, *see* SELYE, H., 824†

CASAS, C. B., *see* PANIAGUA, M. E., 939*

CATTELL, R. B.: Indications for neck dissection in carcinoma of the thyroid, 1099*

CHAMOVITZ, D. L., *see* FREEDBERG, A. S., 910*, 1270*

CHANEY, A. L., *see* STARR, P., 1237*

CHENG, C. P., *see* RICHARDS, J. B., 809†

CHEVALLEY, J., *see* MCGAVACK, T. H., 813†, 841†

——, *see* WEISSBERG, J., 841†

CLARK, D. E., *see* MOE, R. H. 1022*

CLARK S. L., *see* GREENBLATT, R. B., 265*, 886*

COHN, C., *see* KATZ, B., 835†

——, *see* WOLFSON, W. Q., 835†, 836†

COLE, H. H.; GOSS, H., and BODA, J.: Studies on the stability of equine gonadotropin in crude and in purified form, 432*

COLLINS, V. K., *see* LEVIN, E., 807†

COMMONS, R. R.: BARKER, O. C., and SHELTON, E. K.: Sex-linked growth retardation and juvenile diabetes mellitus, 816†

CONN, J. W.: ACTH diabetes in man. The end-organ response versus the adrenocortical response, 825†

——; and LOUIS, L. H.; with the technical assistance of WARK, S., and SPRUNGER B.: Production of endogenous "salt-active" corticoids as reflected in the concentrations of sodium and chloride of thermal sweat, 12*

COOPER, I. S.; RYNEARSON, E. H.; MACCARTY, C. S., and POWER, M. H.: Metabolic consequences of spinal cord injury, 858*

CRAIG, L. S.; ESCAMILLA, R. F., and GORDAN, G. S.; Hypopituitary myxedema, a noncachectic form of Simmonds' disease. Report of five cases, emphasizing the significance of plasma cholesterol levels, 838†

CRILE, G., JR.: (Special Article) Cancer of the thyroid, 1152*

——, *see* RICHARDS, C. E., 1077*

CROMER, J. K., *see* HERTZ, R., 610*

CURRENCE, J. D., *see* STOCK, R., 313*

CURTIS, G. M., *see* RAPPORT, R. L., 735*

DANA, G. W., *see* CALKINS, E., 1*

DANOWSKI, T. S.; JOHNSTON, S. Y., and GREENMAN, J. H.: Alterations in serum iodine fractions induced by the administration of inorganic iodide in massive dosage, 519*

——; MATEER, F.; WEIGAND, F. A.; PETERS, J. H., and GREENMAN, J. H.: Serum iodine fractions in subjects receiving potassium iodide in small dosage, 532*

DAUGHADAY, W. H.; PERRY, W. E., and MACBRYDE, C. M.: Hyperadrenalcorticism in a case of acromegaly with insulin-resistant diabetes, 410*

DAVIS, C. D., *see* ESSELBORN, V. M., 339*

DEAMER, W. C., *see* GOLDBERG, M. B., 839†

DEMOOR, P., *see* BROWN, E. M., JR., 805†, 1363*

DHYSE, F. G., *see* HERTZ, R., 806†

DIRKS, H. B., JR., *see* BARKER, S. B., 813†
DOBYNS, B. M.: Present concepts of the pathologic physiology of exophthalmos, 1202*
DOHAN, F. C., *see* BROWN, E. M., JR., 805†
DREKTER, I. J.; HEISLER, A., and MCGAVACK, T. H.: A simple method for the determination of neutral 17-ketosteroids, based on a novel means for the removal of interfering pigments, 841†
——, *see* MCGAVACK, T. H., 813†
DRITCH, R., *see* ADLERSBERG, D., 814†
DUFFY, B. J., JR., and FITZGERALD, P. J.: Cancer of the thyroid in children: a report of 28 cases, 1296*
——; GODWIN, J. T.; TRUNNELL, J. B., and RAWSON, R. W.: Radioiodine (I^{131}) and gonadal function: an experimental and clinical study, 810†
——, *see* TRUNNELL, J. B., 808†, 1007*
DURANT, T. M., *see* NADLER, C. S., 630*

EISENBERG, E., *see* GORDAN, G. S., 807†
ELIAS, C., *see* Koch, H. J., Jr., 1029*
ELIEL, L. P., and PEARSON, O. H.; The metabolic effects of ACTH in a patient with Cushing's syndrome and acromegaly, 822†
ELKINTON, J. R., *see* BROWN, E. M., JR., 1363*
ENGEL, F. L., *see* TEABEAUT, R., 399*
ENGLE, E. T., *see* BORS, E., 381*
ENGSTROM, W. W.; KYDD, D. M.; MAN, E. B., and PETERS, J. P.: An analysis of the medical treatment of hyperthyroidism with thiourea and iodine: with special reference to the behavior of the serum precipitable iodine during therapy, 1251*
ESCAMILLA, R. F., and BENNETT, L. L.: Pituitary infantilism. Treatment with purified growth hormone, thyroid and sublingual methyl testosterone, 817†
——, and GORDAN, G. S.: Efficacy of testosterone compounds administered sublingually to hypogonadal men, 248*
——, *see* BENNETT, L. L., 492*
——, *see* CRAIG, L. S., 838†
ESSELBORN, V. M.; DAVIS, C. D., and HAMBLEN, E. C.: Effect of the menarche on hepatomegaly in an apubescent girl with a syndrome resembling glycogen disease, 339*
EVANS, H. M., *see* BENNETT, L. L., 492*
——, *see* GESCHWIND, I. I., 803†
EVERSE, J. W. R.: (Letter to the Editor) Clinical Congress on Adrenocorticotropin. Meeting of the Netherlands Endocrinological Society (containing abstracts of papers on program), 791*

FISHMAN, W. H.: *see* HOMBURGER, F., 1591*
FITZGERALD, P. J., *see* DUFFY, B. J., JR., 1296*
FORBES, A. P.; GRISWOLD, G. C., and ALBRIGHT, F.: Clinical experience with a bioassay method for the determination of urinary corticosteroids, 230*
FORSHAM, C. C., *see* ROCHE, M., 834†
FORSHAM, P. H.; THORN, G. W.; FRAWLEY, T. F., and WILSON, D. L.: Studies on carbohydrate metabolism in adrenal cortical hypersecretion,825†
——, *see* HILL, S. R., JR., 823†, 1375*
——, *see* RECANT, L., 187*
——, *see* ROCHE, M., 834†
——, *see* THORN, G. W., 833†
FRANCKE, C.: The gonads in the Laurence-Moon-Biedl syndrome. Three case reports with one partial autopsy, 108*
FRANTZ, R., *see* KINSELL, L., 815†
FRANTZ, V. K.; LARSEN, W. G., and JARETZKI, A., III: An evaluation of radioactive iodine therapy in metastatic thyroid cancer, 1084*
FRAWLEY, T. F., and KOEPF, G. F.: Neurotoxicity due to thiouracil and thiourea derivatives, 623*
——, *see* FORSHAM, P. H., 825†
——, *see* THORN, G. W., 833†
FREEDBERG, A. S.; BLUMGART, H. L.; KURLAND, G. S., and CHAMOVITZ, D. L.: The treatment of euthyroid cardiac patients with intractable angina pectoris and congestive failure with radioactive iodine, 1270*
——; CHAMOVITZ, D. L.; URELES, A. L., and VANDILLA, M. A.: The direct measurement of I^{131} uptake in the thyroid gland; further observations, 910*
——; URELES, A. L.; VANDILLA, M., and MCMANUS, M. J.: A new simple method for accurate measurement of urinary I^{131} after tracer and therapeutic doses, 437*
FREEDMAN, L. R., *see* BROWN, E. M., JR., 805†
FREEMAN, H., and PINCUS, G.: Oral steroid administration in rheumatoid arthritis, 824†
——, PINCUS, G.; BACHRACH, S.; JOHNSON, C. W.; MCCABE, G. E., and MACGILPIN, H. H.: Oral steroid medication in rheumatoid arthritis, 1523*
FRIED, P. H., and RAKOFF, A. E.: Improvement of the rat ovary hyperemia test for pregnancy, by adding a pituitary synergist, 423*
FRIEDMAN, N. B., *see* BOMZE, E. J., 819†
FUENZALIDA, F.: Absorption of steroids from subcutaneously implanted tablets of the

pure hormone and of the hormone mixed with cholesterol, 1511*

GABRILOVE, J. L.: The level of the circulating eosinophils following trauma, 637*
——, *see* SOFFER, L. J., 594*
GAEBLER, O. H., and MATHIES, J. C.: The effect of growth hormone on hepatic catalase, erythrocyte volume, and hemoglobin in rats, 805†
GARCÍA-SANZ, M., *see* PANIAGUA, M. E., 939*
GARNER, J. F., *see* GREENBLATT, R. B., 1547*
GASSNER, F. X.; HOPWOOD, M. L.; HERROLD, E. A., and PLUMMER, A. J.: An interpretation of the goitrogenic properties of certain "antithyroid" agents, 1485*
GERISCH, R. A., *see* MOEHLIG, R. C., 1609*
GESCHWIND, I. I.: Studies on the effects of hypophysectomy and of growth and adrenocorticotropic hormones on certain phosphorous fractions in the rat liver, 804†
——; LI, C. H., and EVANS, H. M.: The effect of hypophysectomy and of growth hormone on phosphorus metabolism, 803†
GJERSØE, Å., and KJERULF-JENSEN, K.: Hypothalamic lesion caused by Boeck's sarcoid, 1602*
GLAFKIDES, C., *see* BENNETT, L. L., 826†
GLASS, S. J.: (Letter to the Editor) The advantages of combined estrogen-androgen therapy of the menopause, 1616*
GODFREY, E. F., *see* JAAP, R. C., 829†
GODWIN, J. T., *see* DUFFY, B. J., JR., 810†
——, *see* TRUNNELL, J. B., 1007*
GOLD, A., *see* MCCULLAGH, E. P., 687*, 871*
GOLDBERG, M. B.; GORDAN, G. S.; DEAMER, W. C.; HINMAN, F., JR., and RAPAPORT, E.: Cushing's syndrome from adrenal cortical tumor with special reference to the surgical mortality: a report of three cases and review of the literature, 839†
GOLDZIEHER, J. W.; RAWLS, W. B.; ROBERTS, I. S., and GOLDZIEHER, M. A.: The effect of steroid hormones applied directly to senile human skin, 831†
——, *see* GOLDZIEHER, M. A., 837†
GOLDZIEHER, M. A.; MCGAVACK, T. H., and GOLDZIEHER, J. W.: Thyrotoxin neuropathy, 837†
——, *see* GOLDZIEHER, J. W., 831†
GOODWIN, L. D., *see* WERNER, S. C., 1054*
GORBMAN, A.: Functional and structural changes consequent to high dosages of radioactive iodine, 1177*
——: Recipient of First Honorable Mention for the 1950 Van Meter Prize Award, 1176
GORDAN, G. S.; EISENBERG, E., and MOON, H. D.: A steroid which promotes tissue growth without concomitant genital activity, 807†
——, *see* BENTINCK, R. C., 806†
——, *see* CRAIG, L. S., 838†
——, *see* ESCAMILLA, R. F., 248*
——, *see* GOLDBERG, M. B., 839†
——, *see* LISSER, H., 815†
GOSS, H., *see* COLE, H. S., 432*
GRAY, J. W., *see* HENDERSON, E., 800*
GREENBLATT, R. B.; BARFIELD, W. E.; CLARK, S., and BROWN, N.: Physiologic effectiveness of oral progesterone, 886*
——; BARFIELD, W. E.; GARNER, J. F.; CALK, G. L., and HARROD, J. P., JR.; Evaluation of an estrogen, androgen, estrogen-androgen combination, and a placebo in the treatment of the menopause, 1547*
——; CLARK, S. L., and WEST, R. M.: Hormonal factors producing the gametokinetic response in the male frog (*Rana pipiens*), 265*
GREENMAN, J. H., *see* DANOWSKI, T. S., 519*, 532*
GREENSPAN, F. S.: Studies on circulating growth hormone, 829†
GREENWALD, I.: Simple goiter in Colombia, 1309*
GRISWOLD, G. C., *see* FORBES, A. P., 230*
GROSSMAN, S.; BUCHBERG, A. S.; BRECHER, E., and HALLINGER, L. M.: Idiopathic lactation following thoracoplasty, 729*
GUTERMAN, H. S.: (Endocrine Review) The physiologic basis for clinical applications of progesterone, 641*
GUTHRIE, R., *see* KOFFLER, I., 897*

HAINES, S. F.: Some notes on the role of research in the development of the modern treatment of exophthalmic goiter, 989*
——, *see* KEATING, F. R., JR., 1425*
HALL, G. J.: Acetoxypregnenolone, 843†
HALLINGER, L. M., *see* GROSSMAN, S., 729*
HAMBLEN, E. C., *see* ESSELBORN, V. M., 339*
HAMILTON, H. B., *see* WERNER, S. C., 1054*
HARRIS, M. M., and ABEL, T. M.: The treatment with desiccated thyroid of periodic behavior disturbances associated with menses, in mentally defective patients, 838†
HARROD, J. P., JR., *see* GREENBLATT, R. B., 1547*
HARTROFT, W. S.: The islets of Langerhans in man visualized by phase contrast microscopy, 828†
HAYLES, A. B., *see* SPRAGUE, R. G., 289*
HAYWARD, S. J., *see* ALLEN, W. M., 54*
HECHTER, O. M.: Recipient of the 1950 Ciba

Award, 1173
——; JACOBSEN, R. P.; JEANLOZ, R.; LEVY, H.; PINCUS, G., and SCHENKER, V.: Pathways of corticosteroid synthesis, 827†
HEDGE, A. N., *see* STANBURY, J. B., 1471*
HEISLER, A., *see* DREKTER, I. J., 841†
HELLER, C. G.; NELSON, W. O.; HILL, I. C.; HENDERSON, E.; MADDOCK, W. O., and JUNGCK, E. C.: The effect of testosterone administration upon the human testis, 816†
HENCH, P. S.: Recipient of dual 1950 Passano award, 370
HENDERSON, E.; GRAY, J. W.; WEINBERG, M.; MERRICK, E. Z., and SENECA, H.: (Letter to the Editor) Some preliminary observations on the treatment of rheumatoid arthritis with cortisone plus insulin, 800*
——; WEINBERG, M., and WRIGHT, W. A.: (Endocrine Review) Pregnenolone, 455*
——, *see* HELLER, C. G., 816†
HERNÁNDEZ-MORALES, F., *see* PANIAGUA, M. E., 939†
HERROLD, E. A., *see* GASSNER, F. X., 1485*
HERTZ, R.; CROMER, J. K., and WESTFALL, B. B.: A case of ovarian agenesis with normal urinary gonadotropin titer, 610*
——; TULLNER, W. W., and DHYSE, F. G.: Hormonal factors affecting avidin secretion and biotin blood levels in the chick, 806†
HIOCO, D., and SAMTER, M.: The excretion of 17-ketosteroids, 11-oxycorticosteroids and "11-desoxycorticosteroids" in patients with bronchial asthma, 1570*
HILL, I. C., *see* HELLER, C. G., 816†
HILL, R., *see* TRUNNELL, J. B., 1007*
HILL, S. R., JR.; FORSHAM, P. H.; ROCHE, M., and THORN, G. W.: The response of the adrenal cortex and thyroid gland to ACTH and cortisone in patients with hypothyroidism and the nephrotic syndrome, 823†
——; REISS, R. S.; FORSHAM, P. H., and THORN, G. W.: Effect of adrenocorticotropin and cortisone on thyroid function: thyroid-adrenocortical interrelationships, 1375*
——, *see* THORN, G. W., 833†
HINMAN, F., *see* BENTINCK, R. C., 818†
——, *see* GOLDBERG, M. B., 839†
HITCHCOCK, P., *see* KOFFLER, I., 897*
HOFFMAN, M. M., *see* VENNING, E. H., 583*
HOLLIGER, V. H., *see* BORS, E., 381*
HOMBURGER, F.; BONNER, C. D., and FISHMAN, W. H.; Effect of pituitary adrenocorticotropic hormone (ACTH) in a case of pemphigus foliaceous, 1591*
HOPWOOD, M. L., *see* GASSNER, F. X., 1485*
HOWARD, J. E., *see* CALKINS, E., 1*
HOWARD, R. P.; SNIFFEN, R. C.; SIMMONS, F. A., and ALBRIGHT, F.: Testicular deficiency: a clinical and pathologic study, 121*
HOYT, R. E., and LEVINE, M. G.: An improved procedure for the quantitative estimation of urinary pregnanediol, 101*
HUME, D. M., *see* RECANT, L., 187*
HUMPHREY, M. J., *see* BARKER, S. B., 1136*
HUTCHIN, M. E., *see* KINSELL, L., 815†
——, *see* MARGEN, S., 834†

INGLE, D. J.: (Endocrine Review) The biologic properties of cortisone: a review, 1312*

JAAP, R. G., and GODFREY, E. F.: Estrogenic interruption of broodiness in the fowl, 829†
JACOBSEN, E. M.: Response to estrone of intraocular endometrial implants of littermates in female rabbits with uteri intact, 830†
JACOBSEN, R. P., *see* HECHTER, O. M., 827†
JAILER, J. W., *see* SOFFER, L. J., 594*
JAMIESON, B., *see* STARR, P., 1237*
JARETZKI, A., III, *see* FRANTZ, V. K., 1084*
JEANLOZ, R., *see* HECHTER, O. M., 827†
JOHNSON, C. E.; ALBERT, A., and WILSON, R. B.: Renal and extrarenal disposal of chorionic gonadotropin in the immediate postpartum period, 371*
JOHNSON, C. W., *see* FREEMAN, H., 1523*
JOHNSTON, S. Y., *see* DANOWSKI, T. S., 519*
JUNGCK, E. C., *see* HELLER, C. G., 816†

KAPLAN, A., *see* LEVIN, E., 807†
KATZ, B.; KATZ, M.; WOLFSON, W. Q.; COHN, C., and RUBENSTEIN, B. B.: Increased adrenal cortical function accompanying prolonged remission induced by ACTH in myasthenia gravis, 835†
KATZ, M., *see* KATZ, B., 835†
KAZMIN, V. E., *see* VENNING, E. H., 583*
KEARNS, J. E., JR., *see* MOE, R. H., 1022*
KEATING, F. R., JR.; HAINES, S. F.; POWER, M. H., and WILLIAMS, M. M. D.: The radioiodine-accumulating function of the human thyroid gland as a diagnostic test in clinical medicine, 1425*
KENDALL, E. C.: Recipient of dual 1950 Passano award, 370
KESTON, A. S., *see* SONENBERG, M., 809†
KING, N. B., and MASON, H. L.: Urinary corticosteroid values of children as determined chemically, 479*
KINSELL, L.; MARGEN, S.; MICHAELS, G.; REISS, R.; FRANTZ, R., and CARBONE,

J.; with the technical assistance of LIEBERT, G.; ANDERSON, C.; SUITER, L., and HUTCHIN, M. E.: The effects of ACTH, of cortisone, and of other steroid compounds upon fat metabolism in diabetic and nondiabetic human subjects, 815†
——, *see* MARGEN, S., 834†
KIRSCHNER, L., *see* MONEY, W. L., 1282*
——, *see* TRUNNELL, J. B., 1007*
KJERULF-JENSEN, K., *see* GJERSØE, Å., 1602*
KLEIN, R., *see* LEWIS, R. A., 703*
KLING, I., *see* STARR, P., 1237*
KLITGAARD, H. M., *see* BARKER, S. B., 813†
KOCH, H. J., JR.; TALBOT, T. R.; BERNSTEIN, M.; MACKINNON, J., and ELIAS, C.: The effect of isotopic (I^{131}) radiation and x-radiation on the total coproporphyrin excretion in humans, 1029*
KOEPF, G. F., *see* FRAWLEY, T. F., 623*
KOFFLER, I.; BUCK, G.; WINGARD, C.; HITCHCOCK, P.; GUTHRIE, R., and TEAGUE, R. S.: A case of pheochromocytoma: diagnosis by the benzodioxane test, urinary hormone studies, and norepinephrine assay of the tumor, 897*
KOLFF, W. J., and TJIOOK, K. B.: Hirsutism and virilism in a 5-year-old girl: remission following removal of adrenal carcinoma: recurrence after three and a half years, 270*
KRAINTZ, L., *see* MONEY, W. L., 1282*
KRISS, J. P.: Uptake of radioactive iodine, I^{131}, by the thyroid gland after administration of tracer doses, 812†
KURLAND, G. S., *see* FREEDBERG, A. S., 1270*
KYDD, D. M., *see* ENGSTROM, W. W., 1251*
KYLE, L. H., and O'DONOVAN, T. F.: Pituitary hypogonadism with adrenal androgen deficiency: the effect of chorionic gonadotropin on 17-ketosteroid excretion, 330*

LANGLEY, L. L.: The effect of adrenal transplanting on the stress reaction to hypoxia, 820†
LARSEN, W. G., *see* FRANTZ, V. K., 1084*
LEAKE, T. B., *see* BENTINCK, R. C., 806†
LEE, N. D., and WILLIAMS, R. H.: The use of cystine labelled with S^{35} as a tool for studying adrenal physiology and metabolism, 820†
LEIFER, E., *see* WERNER, S. C., 1054*
LERMAN, J., *see* STATLAND, H., 1401*
LEVIN, E.; BURNS, J. H.; KAPLAN, A., and COLLINS, V. K.: Factors in wheat germ oil affecting the sex organs of hypophysectomized rats, 807†
LEVINE, M. G., *see* HOYT, R. E., 101*
LEVY, H., *see* HECHTER, O. M., 827†
LEWIS, L. A., and PAGE, I. H.: The relation of adrenal activity to experimental hypertension, 819†
LEWIS, R. A.; KLEIN, R., and WILKINS, L.: Congenital adrenal hyperplasia with pseudohermaphrodism and symptoms of Addison's disease. Clinical course following bilateral total adrenalectomy, with metabolic studies, pathologic findings and discussion of etiology, 703*
LI, C. H., *see* BENNETT, L. L., 492*
——, *see* GESCHWIND, I. I., 803†
——, *see* LUFT, R., 823†
LIEBERT, G., *see* KINSELL, L., 815†
LISSER, H., and GORDAN, G. J.: The anabolic effects of testosterone compound as manifested by increased height and weight gain in boys, 815†
——, *see* BENTINCK, R. C., 818†
LLOYD, C. W., and LOBOTSKY, J.: Serum antidiuretic substances and urinary corticosteroid in the human, 318*
——, and LOBOTSKY, J.: Studies of urinary corticosteroid by a method permitting analysis of steroids poorly soluble in water. I. Normal adrenal function, 1559*
LOBOTSKY, J., *see* LLOYD, C. W., 318*, 1559*
LONG, C. N. H.: Recipient of the 1950 Squibb Award, 1172
LOUIS, L. H., *see* CONN, J. W., 12*
LUFT, R., and SJOGREN, B.: The effect of desoxycorticosterone acetate (DCA) on blood pressure and renal function in human subjects, 828†
——; SJOGREN, B., and LI, C. H.: The effect of small dosages of ACTH protein and ACTH peptides in cases of rheumatoid arthritis, 823†
LUKENS, F. D. W., *see* BROWN, E. M., JR., 805†, 1363*

MACBRYDE, C. M., *see* DAUGHADAY, W. H., 410*
MACCARTY, C. S., *see* COOPER, I. S., 858*
MACGILPIN, H. H., *see* FREEMAN, H., 1523*
MACKINNON, J., *see* KOCH, H. J., JR., 1029*
MADDOCK, W. O., *see* HELLER, C. G., 816†
MAGALLON, D. T., and MASTERS, W. H.: Basal temperature studies in the aged female: influence of estrogen, progesterone, and androgen, 511*
——, *see* MASTERS, W. H., 348*
MAHAFFEY, D. E., *see* MCCLINTOCK, J. C., 1108*
MAN, E. B., *see* BRODY, E. B., 716*
——, *see* ENGSTROM, W. W., 1251*
MARGEN, S.; MICHAELS, G.; MUDRICK, C.; BARTON, H.; REISS, R., and KINSELL, L.; with the technical assistance of ANDERSON, G.; SUITER, L.; HUTCHIN,

M. E., and MYERS, D.: The effects of ACTH, and of steroid compounds upon ketolysis in diabetic and nondiabetic human subjects, 834†
——, *see* BENNETT, L. L., 492*
——, *see* KINSELL, L., 815†
MARSHALL, V., *see* TRUNNELL, J. B., 808†
MARX, L., *see* MARX, W., 813†
MARX, W.; MARX, L., and WEISS, S. B.: Thyroid hormone and tissue cholesterol distribution, 813†
MASON, H. L., *see* KING, N. B., 497*
——, *see* MCARTHUR, J. W., 307*
——, *see* SPRAGUE, R. G., 289*, 827†
MASTERS, W. H., and MAGALLON, D. T.: Androgen administration in the postmenopausal woman, 348*
——, *see* MAGALLON, D. T., 511*
MATEER, F., *see* DANOWSKI, T. S., 532*
MATHIES, J. C., *see* GAEBLER, O. H., 805†
MCALPINE, H. T., *see* VENNING, E. H., 583*
MCARTHUR, J. W.; SPRAGUE, R. G., and MASON, H. L.: The urinary excretion of corticosteroids in diabetic acidosis, 307*
MCCABE, G. E., *see* FREEMAN, H., 1523*
MCCLINTOCK, J. C., and MAHAFFEY, D. E.: Thyroglossal tract lesions, 1108*
MCCULLAGH, E. P.; GOLD, A., and MCKENDRY, J. B. R.: Alterations in testicular structure and function in organic disease of the pituitary, 871*
——; GOLD, A., and MCKENDRY, J. B. R.: Radioactive iodine uptake in the hypermetabolism of acromegaly, 687*
——; SIRRIDGE, W. T., and MCINTOSH, H. W.: Gametogenic failure with high urinary gonadotropin (FSH), 1533*
——, *see* RICHARDS, C. E., 1077*
MCGAVACK, T. H.; CHEVALLEY, J.; SHEARMAN, A. M.; DREKTER, I. J., and STERN, S.: Clinical application of certain mercaptoimidazoles to hyperthyroidism, 813†
——; CHEVALLEY, J., and WEISSBERG, J.: Studies with pregnenolone. 2. Clinical applications, 841†
——, *see* DREKTER, I. J., 841†
——, *see* GOLDZIEHER, M. A., 837†
——, *see* WEISSBERG, J., 841†
MCINTOSH, H. W., *see* MCCULLAGH, E. P., 1533*
MCKAY, D. G., BURNETT, C. H., and BURROWS, B. A.: Panhypopituitarism: case report correlating clinical and pathologic findings, 540*
MCKENDRY, J. B. R., *see* MCCULLAGH, E. P., 687*, 871*
MCMANUS, M. J., *see* FREEDBERG, A. S., 437*
MEDZ, R., *see* WICK, A. N., 84*
MEISSNER, W. A., and SOMMERS, S. C.: Postpartum endometrial hyperplasia in diabetics treated with stilbestrol and progesterone, 603*
MELICOW, M. M., and CAHILL, G. F.: The role of the adrenal cortex in somatosexual disturbances in infants and children: a clinico-pathologic analysis, 24*
MERKIN, M., *see* RICHARDS, J. B., 809†
MERRICK, E. Z., *see* HENDERSON, E., 800*
MERRILL, P., *see* MONEY, W. L., 1282*
MICHAELS, G., *see* KINSELL, L., 815†
——, *see* MARGEN, S., 834†
MOE, R. H.; ADAMS, E. E.; RULE, J. H.; MOORE, M. C.; KEARNS, J. E., JR., and CLARK, D. E.: An evaluation of radioactive iodine in the treatment of hyperthyroidism, 1022*
MOEHLIG, R. C., and GERISCH, R. A.: Pseudohypoparathyroidism with decreased glucose tolerance: report of a case, 1609*
MONEY, W. L.; KIRSCHNER, L.; KRAINTZ, L.; MERRILL, P., and RAWSON, R. W.: Effects of adrenal and gonadal products on the weight and radioiodine uptake of the thyroid gland in the rat, 1282*
——, *see* SONENBERG, M., 809†
MOON, H. D., *see* GORDAN, G. S., 807†
MOORE, B. E., *see* BRODY, E. B., 716*
MOORE, C. R.: (Endocrine Review) The role of the fetal endocrine glands in development, 942*
MOORE, M. C., *see* MOE, R. H., 1022*
MORTON, R. F., *see* SEXTON, D. L., 1417*
MUDRICK, C., *see* MARGEN, S., 834†
MUNSON, P. L., *see* ZARROW, M. X., 692*
MYERS, D., *see* MARGEN, S., 834†

NADLER, C. S.; STEIGER, W. A.; TRONCELLETI, M., and DURANT, T. M.: Dystrophia myotonica, with special reference to endocrine function (Klinefelter's syndrome), 630*
NELSON, D. H.; REICH, H., and SAMUELS, L. T.: The effect of ACTH upon the level of 17-hydroxycorticosterone in the adrenal vein blood of dogs, 810†
NELSON, W. O., *see* HELLER, C. G., 816†
NODINE, J. H., *see* PERLOFF, W. H., 721*
NYDA, M. J., and BISKIND, G. R.: The effect on the linear growth, weight gain, and histologic pattern of the testes of young rats by large doses of DOCA, lipoadrenal cortex, thyroid, thyroxine, testosterone, propionate and physiologic doses of testosterone propionate, 818†

O'DONOVAN, T. F., *see* KYLE, L. H., 330*

PAGE, I. H., *see* LEWIS, L. A., 819†
PANIAGUA, M. E.; CASAS, C. B., and HERNÁNDEZ-MORALES, F.; with the technical assistance of GARCÍA-SANZ, M.: Studies on adrenal function in sprue: preliminary report, 939*
PARRISH, A. E., *see* ZIMMERMAN, H. J., 821†
PATTERSON, J. B., *see* SILBERNAGEL, W. M., 832†
PEACOCK, W., *see* TRUNNELL, J. B., 1007*
PEARSON, O. H., *see* ELIEL, L. P., 822†
PECKA, E., JR., *see* WICK, A. N., 84*
PERLOFF, W. H.: Treatment of estrogen deficiency with estradiol pellets, 447*
——, and NODINE, J. H.: The association of congenital spastic quadriplegia and androgenic precocity in four patients, 721*
PERRY, W. E., *see* DAUGHADAY, W. H., 410*
PETERS, J. H., *see* DANOWSKI, T. S., 532*
PETERS, J. P., *see* ENGSTROM, W. W., 1251*
PETIT, D. W., *see* STARR, P., 1237*
PINCUS, G., *see* FREEMAN, H., 824†, 1523*
——, *see* HECHTER, O., 827†
PINCUS, I. J.: (Endocrine Review) A hyperglycemic factor extracted from the pancreas, 556*
PINTO, A., *see* ALLEN, W. M., 54*
PLUMMER, A. J., *see* GASSNER, F. X., 1485*
POPPEN, J. L.: The surgical treatment of progressive exophthalmos, 1231*
POWER, M. H., *see* COOPER, I. S., 858*
——, *see* KEATING, F. R., JR., 1425*
——, *see* SPRAGUE, R. G., 289*, 827†

QUERIDO, A., and STANBURY, J. B.: The response of the thyroid gland to thyrotropic hormone as an aid in the differential diagnosis of primary and secondary hypothyroidism, 1192*

RAKOFF, A. E., *see* FRIED, P. H., 423*
RALL, J. E.: Iodine compounds in the blood and urine of man (Van Meter Prize Award essay), 996*
——: Recipient of the 1950 Van Meter Prize Award, 1175
RAPAPORT, E., *see* GOLDBERG, M. B., 839†
RAPPORT, R. L., and CURTIS, G. M.: (Endocrine Review) The clinical significance of the blood iodine: a review, 735*
RAWLS, W. B., *see* GOLDZIEHER, J. W., 831†
RAWSON, R. W., *see* DUFFY, B. J., JR., 810†
——, *see* MONEY, W. L., 1282*
READ, C. H.; VENNING, E. H., and RIPSTEIN, M. P.: Adrenal cortical function in newly-born infants, 845*
RECANT, L.; HUME, D. M.; FORSHAM, P. H., and THORN, G. W.: Studies on the effect of epinephrine on the pituitary-adrenocortical system, 187*
REICH, H., *see* NELSON, D. H., 810†
REILLY, W. A., and BAYER, D. I.: Carrier-free radioactive iodine^{131} thyroid uptake and urinary excretion in normal and hypothyroid children, 811†
REISS, R., *see* KINSELL, L., 815†
——, *see* MARGEN, S., 834†
REISE, R. S., *see* HILL, S. R., JR., 1375*
RICHARDS, C. E.; CRILE, G., JR., and MCCULLAGH, E. P.: Radioactive iodine in the treatment of the hyperthyroidism of nodular goiter, 1077*
RICHARDS, J. B.; MERKIN, M.; CHENG, C. P., and SAYERS, G.: Fate of intravenously administered adrenocorticotropic hormone (ACTH), 809†
RIPSTEIN, M. P., *see* READ, C. H., 845*
——, *see* VENNING, E. H., 583*
ROBERTS, I. S., *see* GOLDZIEHER, J. W., 831†
ROCHE, M.; FORSHAM, P. H.; FORSHAM, C. C., and THORN, G. W.: A study of adrenal cortical response in health and disease. The 48-hour ACTH test, 834†
——, *see* HILL, S. R., JR., 823†
ROGERS, J., and STURGIS, S. H.: Pregnanediol excretion in normal women, 89*
ROLLMAN, H., *see* STARR, P., 1237*
ROSENBERG, C. A.; WOODBURY, D. M., and SAYERS, G.: Effect of adrenocorticotropic hormone (ACTH) on the pathologic changes induced by desoxycorticosterone acetate (DCA), 822†
ROSENQUIST, R. C., *see* BORS, E., 381*
ROZIN, S., *see* ZONDEK, B., 615*
RUBENSTEIN, B. B., *see* KATZ, B., 835†
RULE, J. H., *see* MOE, R. H., 1022*
RYNEARSON, E. H.: (Letter to the Editor) A discussion of the program for the 1951 annual meeting of the Association for the Study of Internal Secretions, 1355
——, *see* COOPER, I. S., 858*

SALTER, W. T., *see* ZARROW, M. X., 692*
SAMTER, M., *see* HIOCO, D., 1570*
SAMUELS, L. T., *see* NELSON, D. H., 810†
——, *see* WEST, C. D., 832†
SAXTON, J., *see* SEXTON, D. L., 1417*
SAYERS, G., *see* RICHARDS, J. B., 809†
——, *see* ROSENBERG, C. A., 822†
SCHAEFER, L. E., *see* ADLERSBERG, D., 814†
SCHENKER, V., *see* HECHTER, O., 827†
SCHNEEBERG, N. G.: (Letter to the Editor) Desoxycorticosterone acetate in the treatment of insulin resistance, 1517*
SCHULMAN, J., JR.: Recipient of Second Honorable Mention for the 1950 Van Meter Prize Award, 1176
SEED, J. C., *see* CALKINS, E., 1*
SEGALOFF, A.: Quantitative studies on the

production of pseudopregnancy by estrogens, 830†
SELYE, H., and CAREY, N.: Erythrocyte sedimentation rate in DCA and cortisone treated animals, 824†
SENECA, H., *see* HENDERSON, E., 800*
SEXTON, D. L.; MORTON, R. F., and SAXTON, J.: Simmonds' disease. Report of a case observed for nine years, with postmortem findings, 1417*
SHEARMAN, A. M., *see* MCGAVACK, T. H., 813†
SHELTON, E. K., *see* COMMONS, R. R., 816†
SHULMAN, L. E.: Recipient of the 1950 Ayerst, McKenna and Harrison Fellowship, 1173
SIDEMAN, S., *see* WOLFSON, W. Q., 835†
SILBERNAGEL, W. M., and PATTERSON, J. B.: Oral administration of wheat germ oil concentrate as an aid in the reduction of pregnancy complications, 832†
SIMMONS, F. A., *see* HOWARD, R. P., 121*
SIRRIDGE, W. T., *see* MCCULLAGH, E. P., 1533*
SJOGREN, B., *see* LUFT, R., 823†, 828†
SLOAN, L. W.: Some surgical problems of nontoxic goiter, 1092*
SMITH, O. W.: The quantitative determination of urinary pregnanediol in pregnant women: the influence of the method upon results, 496*
SNIFFEN, R. C., *see* HOWARD, R. P., 121*
SOFFER, L. J., GABRILOVE, J. L., and JAILER, J. W.: Metabolic studies with adrenocorticotropin in Cushing's syndrome and in virilism, 594*
SOMMERS, S. C., *see* MEISSNER, W. A., 603*
SONENBERG, M.; KESTON, A. S., and MONEY, W. L.: Tracer studies with labelled preparations of anterior pituitary hormones: ACTH, 809†
SPRAGUE, R. G.; HAYLES, A. B.; POWER, M. H.; MASON, H. L., and BENNETT, W. A.: "Steroid diabetes" and alkalosis associated with Cushing's syndrome: report of case, isolation of 17-hydroxycorticosterone (compound F) from urine, and metabolic studies, 289*
——; MASON, H. L., and POWER, M. H.: Observations on the pathogenesis of Cushing's syndrome, 827†
——, *see* MCARTHUR, J. W., 307*
SPRUNGER, B., *see* CONN, J. W., 12*
STANBURY, J. B., and HEDGE, A. N.: A study of a family of goitrous cretins, 1471*
——, *see* QUERIDO, A., 1192*
STARR, P.; PETIT, D. W.; CHANEY, A. L.; ROLLMAN, H.; AIKEN, J. B.; JAMIESON, B., and KLING, I.: Clinical experience with blood protein-bound iodine determination as a routine procedure, 1237*
STATLAND, H., and LERMAN, J.: Function of the adrenal cortex in myxedema, with some observations on pituitary function, 1401*
STEALY, C. L., *see* STIMMEL, B. F., 806†
STEIGER, W. A., *see* NADLER, C. S., 630*
STERN, S., *see* MCGAVACK, T. H., 813†
STIMMEL, B. F., and STEALY, C. L.: A study of the metabolism of single therapeutic doses (2.0 mg.) of estrone in healthy women in the preovulatory and postovulatory phases of the menstrual cycle, 806†
STOCK, R.; and CURRENCE, J. D., with the technical assistance of SWANSON, E.: The uric acid and glutathione content of the blood in diabetes mellitus, 313*
STURGIS, S. H., *see* ROGERS, J., 89*
SUITER, L., *see* KINSELL, L., 815†
——, *see* MARGEN, S., 834†
SULMAN, E., *see* SULMAN, F. G., 933*
SULMAN, F. G., and SULMAN, E., Pregnancy test with the male frog (*Rana ridibunda*), 933*
SWANSON, E., *see* STOCK, R., 313*

TALBOT, T. R., *see* KOCH, H. J., Jr., 1029*
TAYLOR, H., *see* TEABEAUT, R., 399*
TEABEAUT, R.; ENGEL, F. L., and TAYLOR, H.: Hypokaliemic, hypochloremic alkalosis in Cushing's syndrome. Observations on the effects of treatment with potassium chloride and testosterone, 399*
TEAGUE, R. S., *see* KOFFLER, I., 897*
THOMPSON, R. E., *see* WOLFSON, W. Q., 836†
THORN, G. W.; FORSHAM, P. H.; FRAWLEY, T. F., and HILL, S. R., JR: Clinical experience with the use of cortisone acetate pellets in the treatment of adrenal cortical insufficiency, 833†
——, *see* FORSHAM, P. H., 825†
——, *see* HILL, S. R., JR., 823†, 1375*
——, *see* RECANT, L., 187*
——, *see* ROCHE, M., 834†
THORNELL, W. C.: A new intralaryngeal approach for arytenoidectomy in the treatment of bilateral abductor vocal cord paralysis, 1118*
TJIOOK, K. B., *see* KOLFF, W. J., 270*
TOAFF, R., *see* ZONDEK, B., 615*
TORNBLOM, N., The functional relationship between the pituitary gland and the parathyroids, 810†
TRAUT, H. F., *see* BENSON, R. C., 675*
——, *see* BENTINCK, R. C., 818†
TRONCELLETI, M., *see* NADLER, C. S., 630*
TRUNNELL, J. B., DUFFY, B. J., JR., GODWIN, J. T.; PEACOCK, W.; KIRSCHNER, L., and

HILL, R.: The distribution of radioactive iodine in human tissues: necropsy study in nine patients, 1007*
——; DUFFY, B. J., JR.; MARSHALL, V.; WHITMORE, W., and WOODARD, H. Q.: The use of progesterone in treatment of cancer of the prostate, 808†
——, *see* DUFFY, B. J., JR., 810†
TULLNER, W. W., *see* HERTZ, R., 806†
TYLER, F. H., *see* WEST, C. D., 832†

URELES, A. L., *see* FREEDBERG, A. S., 437*, 910*

VANDILLA, M. A., *see* FREEDBERG, A. S., 437*, 910*
VENNING, E. H.; KAZMIN, V. E.; RIPSTEIN, M.; MCALPINE, H. T., and HOFFMAN, M. M.: The effect of adrenocorticotropin on the excretion of adrenal metabolites in normal human subjects, 583*
——, *see* READ, C. H., 845*
VILLAVERDE, M. M.: The agreement of clinical diagnosis with vaginal smears, as shown by the evaluation of symptoms, and glycogen index, 831†

WANG, S. C., *see* BARKER, S. B., 813†
WARK, S., *see* CONN, J. W., 12*
WAWZONEK, S., *see* BARKER, S. B., 813†
WEIGAND, F. A, *see* DANOWSKI, T. S., 532*
WEINBERG, M., *see* HENDERSON, E., 455*, 800*
WEINBERGER, H., *see* BENNETT, L. L., 492*
WEISS, S. B., *see* MARX, W., 813†
WEISSBERG, J.; CHEVALLEY, J., and MCGAVACK, T. H.: Studies with pregnenolone, 1. Nitrogen and electrolyte balance, 841†
——, *see* MCGAVACK, T. H., 841†
WERNER, S. C.: HAMILTON, H. B.; LEIFER, E., and GOODWIN, L. D.: An appraisal of the radioiodine tracer technic as a clinical procedure in the diagnosis of thyroid disorders. Uptake measurement directly over the gland and a note on the use of thyrotropin (T.S.H.), 1054*
WEST, C. D.; BROWN, H.; TYLER, F. H., and SAMUELS, L. T.: The role of the liver and kidney in the metabolism of intravenous testosterone by human subjects, 832†
WEST, R. M., *see* GREENBLATT, R. B., 265*
WESTFALL, B. B., *see* HERTZ, R., 610*
WHITELAW, M. J.: The effect of female hormones on the basal body temperature, 842†
——: The treatment of juvenile acne with topical estrogens, 842†
——, and WOODMAN, T. W.: (Letter to the Editor) The treatment of severe burns with ACTH, 1171*
WHITMORE, W., *see* TRUNNELL, J. B., 808†
WHITNEY, J. E., *see* BENNETT, L. L., 826†
WICK, A. N.; PECKA, E., JR., and MEDZ, R.: Comparison of chemical and biologic assay of cortin-like substances in normal male urine, 84*
WILKINS, L., *see* LEWIS, R. A., 703*
WILLIAMS, M. M. D., *see* KEATING, F. R., JR., 1425*
WILLIAMS, R. H., *see* LEE, N. D., 820†
WILSON, D. L.: Recipient of the 1950 Schering Fellowship, 1174
——, *see* FORSHAM, P. H., 825†
WILSON, R. B., *see* JOHNSON, C. E., 371*
WINGARD, C., *see* KOFFLER, I., 897*
WISE, W., *see* WOLFSON, W. Q., 835†
WOLFSON, W. Q.; COHN, C.; WISE, W., and SIDEMAN, S.: Administration and subsequent withdrawal of ACTH, studied simultaneously in a gouty father and hyperuremic son, 835†
——; THOMPSON, R. E. and COHN, C.: Adacter and adacter-gelatin: pituitary adrenocorticotropin preparations with prolonged activity, 836†
——, *see* KATZ, B., 835†
WOODARD, H. Q., *see* TRUNNELL, J. B., 808†
WOODBURY, D. M., *see* ROSENBERG, C. A., 822†
WOODMAN, T. W., *see* WHITELAW, M. J., 1171*
WRIGHT, W. A., *see* HENDERSON, E., 455*

YOUNG, F. G.: Growth hormone and experimental diabetes, 824†

ZARROW, M. X.; MUNSON, P. L., and SALTER, W. T.: A comparison of androgens determined biologically and 17-ketosteroids determined chemically in urine (normal and abnormal), 692*
ZIMMERMAN, H. J.; PARRISH, A. E., and ALPERT, L. K.: Changes in responsiveness to insulin in diabetes mellitus induced by the administration of desoxycorticosterone, 821†
ZONDEK, B.; TOAFF, R., and ROZIN, S.: Cyclic changes in the vaginal but not in the uterine mucosa of amenorrheic women, induced by a single injection of estrone and progesterone precipitates, 615*

SUBJECT INDEX

* Original article.

† Abstract of paper presented at the Thirty-second Annual Meeting of the Association for the Study of Internal Secretions.

ABNORMALITIES: *see* Congenital anomalies; and under various endocrine glands

ABORTION: *see* Pregnancy

ABSORPTION: *see also* Administration; and under various glandular preparations
—— curves; simple method for analyzing; application to urinary steroids, 71*
—— of steroids from implants; effect of cholesterol on, in guinea pig, 1511*

ABSTRACTS
—— of papers presented at 32nd Annual Meeting of the Association for the Study of Internal Secretions, San Francisco, 803†
—— of papers presented at the Clinical Congress on ACTH, Amsterdam, 792
—— service (Excerpta Medica), 672

ACETOXYPREGNENOLONE, in treatment of rheumatoid arthritis and uterine fibroids, 843†

ACIDOSIS: *see* Diabetes mellitus

ACNE: *see* Skin

ACROMEGALY: *see* Pituitary, disorders

ACRYLIC ACID analogues of thyroxine, with thyroxine-like activity, 813†

ACTH: *see* Pituitary, preparations, adrenocorticotropic hormone

ADACTAR and adactar-gelatin: pituitary ACTH preparations with prolonged activity, 836†

ADDISON'S DISEASE: *see also* Adrenals, disorders; Steroids
—— adrenal cortical response to 48-hour ACTH test in, 834†
—— and primary myxedema, with normal pituitary function, 1401*
—— antidiuretic substances of serum in; relation to urinary corticosteroids, 318*
—— associated with pseudohermaphroditism and congenital adrenal hyperplasia, 703*
—— bioassay of urinary corticosteroids in, 230*
—— blood in; *see also* Blood; Electrolytes
—— blood PBI in, 1237*
—— carbohydrate metabolism in; *see* Carbohydrate metabolism
—— constancy of eosinophil level in; effect of adrenal and pituitary compounds on, 187*

ADDISON'S DISEASE (cont.)
—— electrolyte metabolism in; *see* Electrolytes
—— eosinophils in; *see also* Blood, cells
—— 17-ketosteroid excretion in, 230*
—— radioiodine values in, 1425*
—— urine in; *see also* Adrenals, preparations and compounds; Steroids
THERAPY: *see also* Adrenals, preparations
—— effect of ACTH and cortisone on thyroid function in, 1375*
—— effect of hyperglycemic factor of pancreas in, 556*
—— therapeutic effects of cortisone in, 1312*
—— treatment with cortisone acetate pellets, 833†

ADDRESS, Presidential, of American Goiter Association, 989*

ADMINISTRATION: *see also* substance involved
METHODS
—— buccal and sublingual; for testosterone compounds, in hypogonadism, 248*
—— combined estrogen and androgen therapy of the menopause, 348*, 1547,* 1616*
—— implanted hormone tablets; effect of cholesterol on absorption, 1511*
—— implanted pellets of cortisone acetate in treatment of Addison's and Sheehan's syndromes, 833†
—— implanted pellets of DOCA, in treatment of panhypopituitarism, 540*
—— implanted pellets of estradiol in treatment of estrogen deficiency, 447*
—— intravenous testosterone, in human subjects; role of liver and kidney in metabolism of, 832†
—— method; effect of, on results with hyperglycemic factor of the pancreas, 556*
—— oral, for progesterone; physiologic effectiveness, 886*
—— oral, for steroids, in rheumatoid arthritis; relationship between duration of administration and duration of improvement after omission, 1523*

ADMINISTRATION (cont.)
METHODS (cont.)
—— pellet implantation; *see also* substances involved under, Adrenals; Androgens; Estrogens; Progestêrone
—— prolonged activity from adactar and adactar-gelatin preparations of ACTH, 836†
—— single injection of gonadal hormones in treatment of amenorrhea, 615*
—— topical application of estrogens in juvenile acne, 842†
—— topical application of steroid hormones to senile human skin, 831†
ADRENALIN: *see* Adrenals, preparations and compounds, epinephrine
ADRENALS: *see also* Addison's disease; and Cushing's syndrome
—— aerograms and radiographs of, in diagnosis, 24*
DISORDERS
—— adrenogenital syndrome; differential diagnosis with color test for dehydroisoandrosterone, 54*
—— adrenogenital syndrome (female); bioassay of urinary corticosteroids in, 230*
—— congenital hyperplasia of, with pseudohermaphrodism and Addison's disease, 703*
—— Cushing's syndrome; *see* Cushing's syndrome
—— hyperadrenalcorticism in acromegaly with insulin-resistant diabetes, 410*
—— of medulla; *see* Adrenal disorders, tumors (pheochromocytoma)
—— precocious puberty; *see* Puberty, precocious
—— somatosexual disturbances in children; role of adrenal cortex in, 24*
——virilism; *see also* Virilism
Tumors
—— cortical carcinoma; removal followed by remission of virilism; recurrence, 270*
—— cortical, in somatosexual disorders of children, 24*
—— cortical, producing Cushing's syndrome; surgical mortality, 839†
—— diagnosis of, with color test for dehydroisoandrosterone, 54*
—— pheochromocytoma; benzodioxane and dibenamine tests; norepinephrine assay of the tumor, 897*
—— pheochromocytoma; benzodioxane test in; epinephrine and norepinephrine content of the tumor, 1*

ADRENALS (cont.)
PHYSIOLOGY AND PATHOLOGY
—— ACTH; *see* Pituitary, preparations
—— adrenal activity; relation to experimental hypertension, 819†
—— adrenocortical function during remission in myasthenia gravis induced by ACTH, 835†
—— adrenocortical versus end-organ response in ACTH diabetes in man, 825†
—— *adrenocorticotropic hormone of the pituitary (ACTH)*; *see* Pituitary, preparations
—— ascorbic acid content of, after ACTH administered i.v. to hypophysectomized rats, 809†
—— at necropsy, in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— at necropsy, in panhypopituitarism, 540*
—— at necropsy, in Simmonds' disease observed for 9 years, 1417*
—— biopsy findings in congenital spastic quadriplegia with androgenic precocity, 721*
—— cortex; function of, in myxedema, 1401*
—— cortex; function of, in newly born infants, studied by ACTH, 845*
—— cortex; function of, in organic pituitary disease, 871*
—— cortex; relation to lymphoid tissues; growth of adrenal transplants in spleen and thymus, 819†
—— fetal; role of, in development, 942*
—— function of, in sprue, 939*
—— normal function; urinary corticosteroids in, 1559*
—— of rat, studied by I^{131}-labelled ACTH, 809†
—— pituitary-adrenocortical system; effect of epinephrine on eosinophils, 187*
—— thyroid-adrenocortical interrelationships, 1375*
—— total adrenalectomy; effects of, in case of pseudohermaphrodism with congenital adrenal hyperplasia and Addison's disease, 703*
—— transplantation of; prevention of liver glycogen storage; effect on stress reaction to hypoxia, 820†
—— uptake of radioiodine in, 1007*
PREPARATIONS AND COMPOUNDS
—— adrenal metabolites in normal subjects; effect of ACTH on, 583*
—— cortical extract; treatment of choice in Simmonds' disease, 1417*
—— cortical hormone metabolites in bronchial asthma, 1570*

ADRENALS (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
—— corticoid excretion in Laurence-Moon-Biedl syndrome, 108*
—— corticoids, endogenous "salt-active" (DCA-like), reflected in sodium and chloride of thermal sweat; effect of ACTH on, 12*
—— corticoids, urinary, in newly born infants; effect of ACTH on, 845*
—— corticosteroid excretion; clinical experience with bioassay method, 230*
—— corticosteroid excretion in children; effect of stress and infection on, 479*
—— corticosteroid excretion in diabetic acidosis, 307*
—— corticosteroid excretion in relation to age, 479*
—— corticosteroid excretion in spinal cord injury, 858*
—— corticosteroid; pathways of synthesis, 827†
—— corticosteroids, urinary; method permitting analysis of steroids poorly soluble in water, 1559*
—— corticosteroids, urinary; relation to serum antidiuretic substances, 318*
—— cortin excretion before and after removal of pheochromocytoma, 897*
—— "cortin" excretion in acromegaly with insulin-resistant diabetes, 410*
—— cortin-like substances in normal male urine; comparison of chemical and biologic assay, 84*
—— dehydroisoandrosterone; *see* Dehydroisoandrosterone
—— *17-ketosteroids, urinary; see also* Steroids, 17-ketosteroids
—— 11-oxycorticosteroid and 17-ketosteroid excretion in myxedema; effect of thyroid therapy, 1401*
—— 11-oxysteroids and corticoids in pseudohermaphrodism with adrenal hyperplasia and Addison's disease, 703*
—— 11-oxysteroids and 17-ketosteroids; excretion in a goitrous cretin, 1471*
—— 11-oxysteroids and 17-ketosteroids; excretion in insulin-resistant diabetic treated with DOCA, 1517*
—— 11-oxysteroids; excretion in normal subjects; effect of epinephrine on, 187*
—— steroid metabolism studied by S^{35}-labelled cystine, 820†
—— steroids; dehydroisoandrosterone; color test for, 54*
—— steroids; *see also* Steroids

ADRENALS (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
Compound F
—— and other adrenal cortical steroids; effect on eosinophils in adrenal deficiency states, 187*
—— effect of ACTH on, in adrenal vein blood of dogs, 810†
—— metabolic studies of, in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
Cortisone (Compound E)
—— acetate; effect on thyroid weight and radioiodine uptake in the rat, 1282*
—— acetate pellets, in treatment of adrenal cortical insufficiency, 833†
—— and ACTH; effect on thyroid function in health and disease, 1375*
—— and ACTH; metabolic and anti-arthritic effects in diabetics, 1363*
—— and DCA; erythrocyte sedimentation rate, in rats treated with, 824†
—— biologic and therapeutic properties of (an endocrine review), 1312*
—— cortisone-like hormones; overproduction of, as possible cause of many features of Cushing's syndrome, 827†
—— effect on eosinophils, 187*, 637*
—— effect on fat metabolism in diabetics and nondiabetics, 815†
—— effect on serum lipids, 814†
—— plus insulin, in treatment of rheumatoid arthritis, 800*
—— prolonged administration of; adrenal cortical atrophy induced by, 834†
—— response of adrenal cortex and thyroid to, in hypothyroidism and in nephrotic syndrome, 823†
Desoxycorticosterone (DOCA)
—— action on cerebral metabolism, 806†
—— and lipoadrenal cortex; effect on structure of testes in rat, 818†
—— and lipoadrenal cortex; effect on urinary corticosteroids in normal man, 1559*
—— effect on blood pressure and renal function in human subjects, 828†
—— in treatment of insulin resistance, 1517*
—— pathologic changes induced by, in rat; effect of ACTH on, 822†

ADRENALS (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
Desoxycorticosterone (cont.)
—— therapy (including pellets) in panhypopituitarism; effect on serum electrolytes, 540*
—— used to induce changes in responsiveness to insulin in diabetics, 821†
Epinephrine
—— and adrenal extract; effects on eosinophils in panhypopituitarism, 540*
—— and nor-epinephrine content of pheochromocytoma, 897*
—— and nor-epinephrine content of pheochromocytoma, and of neuroblastoma and metastases, 1*
—— competitor (benzodioxane); effect in pheochromocytoma, 1*, 897*
—— effect on eosinophils, as test for adrenal cortical function in sprue, 939*
—— effect on pituitary-adrenocortical system as shown by eosinophils, 187*
—— effect on thyroid weight and radioiodine uptake in the rat, 1282*
—— infusion in myxedema; gametokinetic response of male frog, following, 265*
—— Thorn test with, in goitrous cretin, 1471*
AGE: *see also* Infants; Children; and under various endocrine disorders
—— aged female; influence of estrogen, progesterone and androgen on basal temperature in, 511*
—— and sex of children; relation to thyroid cancer in, 1296*
—— and sex; relation to progressive exophthalmos, 1202*
—— factor in response of adrenal cortex to ACTH, 845*
—— of animals; relation to diabetogenic effect of growth hormone, 824†
—— progeria in dystrophia myotonica and Klinefelter's syndrome, 630*
—— relationship of, to blood iodine, 735*
—— relationship of, to degree of improvement in rheumatoid arthritis during pregnenolone therapy, 1523*
—— senile human skin; effect of steroid hormones applied directly, 831†
—— senile patients; blood PBI in, 1237*
—— urinary corticosteroids of children and adults, in relation to, 479*
ALBRIGHT'S SYNDROME, two cases observed in Brazil, 1499*
ALKALOSIS: *see also* Electrolytes
—— and "steroid diabetes," associated with Cushing's syndrome, 289*
—— hypokaliemic, hypochloremic, in Cushing's syndrome and in ACTH-treated arthritis; effect of testosterone on, 399*
ALLERGY: *see also* Antihormones; and specific substance involved
—— allergic asthmatics; cortical hormone metabolites in, 1570*
AMENORRHEA: *see* Menstruation
AMERICAN ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE: announcement of meeting, December 1950, Cleveland, Ohio, 1361
AMERICAN COLLEGE OF PHYSICIANS
—— annual meeting for 1951; announcement of, 988
—— fellowships, research, for 1951; announcement of, 988
—— postgraduate course in endocrinology, Chicago, Ill.
— announcement of, 361, 476
— program of, 361
AMERICAN DIABETES ASSOCIATION
—— postgraduate assembly in endocrinology including diabetes (with Association for the Study of Internal Secretions)
— announcements of, 114, 280
— program of, 281
—— program of section in 1950 joint meeting with Association for the Study of Internal Secretions, 575
AMERICAN GOITER ASSOCIATION
ANNUAL MEETINGS
—— March 1950, Houston, Texas; announcement and preliminary program of, 119
—— May 1951, Columbus, Ohio; announcement of, 986, 1175, 1360, 1522, 1621
PRESIDENTIAL ADDRESS
—— at 1950 annual meeting, 989*
VAN METER PRIZE AWARD
—— essays
— winning 1950 Van Meter prize, 996*
— first honorable mention, 1177*
—— for 1950
— recipient of, and honorable mentions, 1175
—— for 1951
— announcement of, 987, 1175, 1360, 1522, 1621

AMERICAN SOCIETY FOR THE STUDY OF STERILITY
—— annual meeting for 1950; announcement of, 118
—— Ortho award
— for 1950; announcement of, 118
— for 1951; announcement of, 673, 1522
ANALOGUES
—— acrylic acid analogues of thyroxine, with thyroxine-like activity, 813†
ANDROGENS: *see also* Gonadotropins; Hermaphrodism; Sex; Steroids; Testis
—— adrenal androgen deficiency in female with pituitary hypogonadism; effect of chorionic gonadotropin on 17-ketosteroid excretion in, 330*
—— androgenic precocity associated with congenital spastic quadriplegia, 721*
—— dehydroisoandrosterone; *see* Dehydroisoandrosterone
—— in somatosexual disturbances in children; role of adrenal cortex, 24*
—— stimulation of; *see* Gonadotropins
—— urinary, determined biologically, compared with 17-ketosteroids determined chemically, in normal males, in hypogonadism, gynecomastia and hepatic disease, 692*
—— urinary, in adrenal cortical virilism in 5-year-old girl, 270*
—— urinary; *see also* Steroids
EFFECTS AND THERAPY
—— combined oral estrogen-androgen therapy of the menopause, 1547*, 1616*
—— contrasted with effects of estrogen on FSH excretion in man with no testes, 121*
—— effect of, when applied directly to senile human skin, 831†
—— methyl androstenediol; lack of androgenic activity in dose promoting muscle growth, 807†
—— therapy; masculinizing effects in women; *see* Virilism
Testosterone
—— administered i.v. in human subject; role of kidney and liver in metabolism of, 832†
—— and derivatives; effect of cholesterol on absorption of from implants in guinea pigs, 1511*
—— and methyltestosterone and testosterone propionate; comparison of effects, 248*
—— compounds; anabolic effects in short boys, 815†
ANDROGENS (cont.)
EFFECTS AND THERAPY (cont.)
Testosterone (cont.)
—— compounds; buccal and sublingual; efficacy of, in hypogonadism, 248*
—— effect on basal temperature and relation to artificial menstruation in aged female, 511*
—— effect on human testis; biopsy study, 816†
—— effect on spermatozoa count in gametogenic failure with high FSH, 1533*
—— effect on structure of testis in rat, 818†
—— methyltestosterone in treatment of acromegaly with insulin-resistant diabetes and hyperadrenocorticism, 410*
—— methyltestosterone in treatment of enuretic children with retarded bone age, 833†
—— pituitary infantilism treated with, 817†
—— propionate; effect on eosinophils, 637*
—— propionate; effect on pituitary, prostate, seminal vesicles and body weight in castrated rats, 1533*
—— propionate; effect on thyroid weight and radioiodine uptake, in the rat, 1282*
—— propionate, in the treatment of the alkalosis of Cushing's syndrome, and of ACTH-treated arthritis, 399*
—— therapy, with and without estrogen, in postmenopausal woman, 348*
—— versus wheat germ oil; effect on sex organs of hypophysectomized rats, 807†
ANEMIA: *see* Blood, cells
ANGINA PECTORIS: *see* Heart
ANNOUNCEMENTS: *see* Association for the Study of Internal Secretions; and American Association for the Advancement of Science; American College of Physicians; American Diabetes Association; American Goiter Association; American Society for the Study of Sterility; Association of Military Surgeons of the U. S.; Harvard Medical School; Jefferson Medical College; Laurentian Hormone Conference; Medical College of Georgia; Michael Reese Hospital; Passano Foundation

ANNUAL MEETINGS: *see* Announcements
ANOMALIES: *see* Congenital anomalies; and abnormalities under various endocrine glands
ANOREXIA NERVOSA
—— radioiodine values in, 1425*
—— urinary corticoids (bioassay), FSH and 17-ketosteroids in, 230*
ANTIBODIES: *see also* Antihormones
—— effect of cortisone on, 1312*
ANTIHORMONES: *see also* Antithyroid drugs
—— antibodies to growth hormone not demonstrable in serum of female hypophyseal dwarf, 492*
—— antidiuretic substances of serum; relation to urinary corticosteroids, 318*
—— anti-insulin; *see* Insulin
ANTITHYROID DRUGS: *see also* Iodine; Thiouracil; Thyroid
—— in modern treatment of exophthalmic goiter; role of research in development of, 989*
—— interpretation of goitrogenic properties of, in animals, 1485*
—— medical management of hyperthyroidism with; behavior of SPI, 1251*
ARTERIES: *see* Vascular system
ARTHRITIS: *see also* Gout
—— gouty; effect of ACTH in; study of gouty father and hyperuremic son, 835†
RHEUMATOID
—— and ankylosing spondylarthritis; pregnenolone therapy in, 455*
—— and gouty; effect of pregnenolone in, 841†
—— antiarthritic effects of cortisone and ACTH in diabetics with, 1363*
—— effect of acetoxypregnenolone in, 843†
—— effect of ACTH protein and peptides in, 823†
—— effect of testosterone on hypokaliemic, hypochloremic alkalosis during ACTH therapy in, 399*
—— oral medication with pregnenolone in, 1523*
—— oral Δ^5-pregnenolone administration in, 824†
—— therapeutic effects of cortisone in, 1312*
—— treatment with cortisone plus insulin, 800*
ASCORBIC ACID: *see* Vitamins
ASSOCIATION FOR THE STUDY OF INTERNAL SECRETIONS
ABSTRACTS
—— of papers presented at the 32nd annual meeting, 803†
ASSOCIATION FOR THE STUDY OF INTERNAL SECRETIONS (cont.)
ANNUAL MEETINGS
—— *Thirty-Second*, San Francisco, June 1950
— announcement of, 115, 286, 360, 475, 572, 666
— program of (last session, joint with American Diabetes Association), 572, 666
— abstracts of papers on program, 803†
—— *Thirty-third*, Atlantic City, June 1951
— announcement of, 986, 1172, 1356, 1519, 1618
— Letter to Editor, from president, regarding, 1355
AWARDS AND FELLOWSHIPS
(Ciba award; Squibb award; Ayerst, McKenna & Harrison fellowship; Schering fellowship)
—— for 1950:
— announcement of, 116, 287
— recipients of, 1172
—— for 1951:
— announcement of, 1357, 1520, 1619
FELLOWSHIPS: *see* Association, awards
LETTERS TO THE EDITOR, 359*, 791, 800*, 1171*, 1355, 1517*, 1616*
OFFICERS; COUNCIL, PUBLICATIONS COMMITTEE, AND EDITORIAL BOARD MEMBERS
—— *for 1949–50: see* general information page, front ad section, January–June issues
—— *for 1950–51: see* Ibid., July–December issues
POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY INCLUDING DIABETES
—— April 1950, Miami Beach, Florida (with American Diabetes Association):
— announcement of, 114, 280
— program of, 281
ASSOCIATION OF MILITARY SURGEONS OF THE UNITED STATES
—— 1950 convention, New York City; announcement of, 1362
ASTHMA
—— bronchial, associated with Boeck's sarcoid and hypothalamic lesion, 1602*
—— bronchial; cortical hormone metabolites in, 1570*
AUTHOR INDEX to volume 10, 1627*
AVIDIN secretion in the chick; hormonal factors affecting, 806†
AWARDS (including Fellowships): *see* Association for the Study of Internal Secretions, awards; American College

AWARDS (cont.)
of Physicians; American Goiter Association; American Society for the Study of Sterility; Jefferson Medical College; Passano Foundation
AYERST, McKENNA & HARRISON FELLOWSHIP: *see* Association for the Study of Internal Secretions, awards
AZOOSPERMIA: *see* Testis, spermatozoa

BASAL METABOLISM: *see also* Iodine; Thiouracil; Thyroid
—— and plasma cholesterol, in study of thyroid disease, 1126*
—— compared with I^{131} accumulation, as a measure of thyroid function, 1425*
—— effect of ACTH and cortisone on, in health and disease, 1375*
—— following spinal cord injury, 858*
—— hypermetabolism of acromegaly; radioiodine uptake in, 687*
—— hypometabolism; TSH in differential diagnosis of, 1192*
—— relationship to blood iodine, 735*
—— relationship to total dosage of I^{131} in remissions of nodular goiter with hyperthyroidism, 1077*
—— versus radioiodine uptake, in diagnosis of thyroid disease, 1054*
BEHAVIOR: *see* Brain; Mental; Nervous system; and under effects of various endocrines
BENZODIOXANE TEST
—— in hypertension and in pheochromocytoma, 1*
—— in pheochromocytoma, 897*
BIOASSAY: *see also* Gonadotropins; Methods
—— for determination of androgens; comparison with chemically determined 17-ketosteroids, 692*
—— for determination of urinary corticosteroids; clinical experience with, 230*
BIOPSY
—— endometrial, in postpartum bleeding in diabetics treated with stilbestrol and progesterone, 603*
—— endometrial, in study of effect of androgen in postmenopausal woman, 348*
—— endometrial, in study of effect of oral progesterone, 886*
—— endometrial, in treatment of amenorrhea with single injection of gonadal hormones, 615*
—— of adrenal and ovary in virilizing syndrome, 594*
—— of adrenal, ovary and pancreas in congenital spastic quadriplegia with androgenic precocity, 721*
BIOPSY (cont.)
—— of rudimentary ovarian anlagen, in ovarian agenesis with normal urinary gonadotropin, 610*
TESTICULAR
—— in gametogenic failure with high urinary FSH, 1533*
—— in Klinefelter's syndrome associated with dystrophia myotonica, 630*
—— in organic pituitary disease, 871*
—— in study of effect of testosterone in normal men, 816†
—— in study of fertility of paraplegic males, 381*
—— in study of testicular deficiency, 121*
BIOTIN: *see* Vitamins
BLOOD: *see also* under constituent or under endocrine disorder involved
—— antidiuretic substances in; relation to urinary corticosteroids, 318*
—— antihormones in; *see also* Antihormones
—— calcium in; *see also* Calcium, Electrolytes
—— chemical studies, in acromegaly with insulin-resistant diabetes and hyperadrenocorticism, 410*
—— chemical studies, in adrenal cortical virilism before and after operation, 270*
—— chemical studies, in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— chemical studies, in glycogen disease, before and after menarche, 339*
—— chemical studies, in panhypopituitarism, 540*
—— chloride in; *see also* Chloride; Electrolytes; Sodium
—— cholesterol in; *see also* Cholesterol; Lipids
—— chorionic gonadotropin in, in postpartum period, 371*
—— circulating growth hormone studies, 829†
—— electrolytes in; *see also* Electrolytes
—— glucose tolerance test; *see also* Carbohydrate metabolism
—— β-glucuronidase in; effect of ACTH on, 1591*
—— hyperuricemia in son of gouty father; effect of ACTH in, 835†
—— hypokaliemic and hypochloremic alkalosis in Cushing's syndrome and in ACTH-treated arthritis, 399*
—— hypoproteinemia following spinal cord injury, 858*
—— iodine; *see* Blood, iodine; Iodine
—— lipids in: *see also* Lipids; Fat
—— pigment; hemoglobin and hemato-

BLOOD (cont.)
crit values correlated with coproporphyrin excretion; effect of I^{131} and x-radiation, 1029*
—— phosphatase in: *see* under Phosphorus
—— phosphorus in; *see also* Phosphorus
—— potassium in; *see also* Potassium; Electrolytes
—— pressure; *see* Vascular system
—— protein in; *see also* Nitrogen; Protein
—— sugar in; *see also* Carbohydrate metabolism; Diabetes mellitus; Insulin
—— uric acid and glutathione content of, in diabetes mellitus, 313*
—— uric acid, in pemphigus foliaceous, 1591*
—— vessels; *see* Vascular system
CELLS
—— erythrocyte sedimentation rate; effect of oral pregnenolone on in rheumatoid arthritis, 1523*
—— erythrocyte sedimentation rate in rats treated with cortisone and DCA, 824†
—— erythrocyte volume and hemoglobin in the rat; effect of growth hormone on, 805†
—— hemopoiesis; effect of crude anterior pituitary preparation on, in thyroidectomized and gonadectomized rats, 836†
—— leukopenia in patient treated with radioiodine, for thyroid cancer, 1084*
—— lymphocytosis and macrocytic anemia in Albright's syndrome, 1499*
Eosinophils
—— and leucocytes in Cushing's syndrome and in virilism during ACTH therapy, 594*
—— and lymphocytes; effect of cortisone on, 1312*
—— and lymphocytes; effect of epinephrine on, in sprue, 939*
—— and sedimentation rate, in pemphigus foliaceus; effect of ACTH, 1523*
—— effect of ACE on, in treatment of pseudohermaphrodism with adrenal hyperplasia and Addison's disease, 703*
—— effect of ACTH on, in normal subjects during humid heat, 12*
—— effect of ACTH on, in study of adrenal cortical function of newborn infants, 845*
—— effect of cortisone and ACTH on, in arthritic diabetics, 1363*
BLOOD (cont.)
CELLS (cont.)
Eosinophils (cont.)
—— effect of epinephrine injection on, in female with pituitary hypogonadism, 330*
—— effect of epinephrine on, in study of pituitary-adrenocortical system, 187*
—— effect of hyperglycemic factor of pancreas on, 556*
—— following various types of stress, ACTH, compound E, and testosterone, 637*
—— in Addison's disease and panhypopituitarism; effect of various hormones on, 187*
—— in Albright's syndrome, 1499*
—— in 48-hour ACTH test for adrenal cortical function, 834†
—— in mongolism with diabetic acidosis; effect of insulin withdrawal, 307*
—— in panhypopituitarism; response to adrenalin, to ACTH and to adrenal extract, 540*
—— lymphocytes, and platelets; relation to coproporphyrin excretion; effect of I^{131} and x-radiation, 1029*
—— response to ACTH test, in organic pituitary disease, 871*
—— response to ACTH test in various states, 1375*
—— response to adrenalin in myxedema, 1401*
—— response to oral pregnenolone medication in rheumatoid arthritis, 1523*
—— Thorn test in goitrous cretins, 1471*
IODINE: *see also* Iodine; Thiouracil; Thyroid
—— clinical significance of, in health and disease (endocrine review), 735*
—— compounds in man, determined by radioactive analysis, 996*
—— effect of sex, season, age, menstruation, pregnancy, food and exercise on, 735*
Protein-bound (PBI): see also Protein
—— before and after TSH, used for differential diagnosis of hypothyroidism, 1192*
—— clinical determination of, 1136*
—— clinical experience with, as a routine procedure, 1237*
—— effect of ACTH and cortisone on, in health and disease, 1375*

BLOOD (cont.)
IODINE (cont.)
Protein-bound (PBI) (cont.)
—— in goitrous cretins, 1471*
—— in myxedema, before and after thyroid therapy, 1401*
—— radioactive, in thyroid cancer, 1007*
—— radioactive; *see also* Iodine, radioactive
—— serum iodine fractions; effects of inorganic iodide on, in massive and in small dosage, 519*, 532*
—— SPI during treatment of hyperthyroidism with Lugol's solution and thiourea, 1251*
—— SPI in psychiatric patients, before and after bilateral prefrontal lobotomy, 716*
—— SPI versus radioiodine tracer technic in diagnosis of thyroid disease, 1054*
BODY
—— fluids; *see* Blood; Sweat; Urine
—— growth and weight; *see* Children; Dwarfism; Infants; Nutrition; Obesity; Pituitary, growth hormone; Weight
—— temperature; *see* Temperature
—— tissues; *see* Tissues; and under organ involved
BOECK'S SARCOID; hypothalamic lesion caused by; necropsy, 1602*
BONES: *see also* Calcium; Phosphorus; Parathyroids
—— cancers growing in; avid collectors of radioiodine, 1007*
—— diseases of; bioassay of urinary corticoids in, 230*
—— early epiphyseal closure in pseudohypoparathyroidism, 1609*
—— marrow activity; relation to thyroid function, 812†
—— maturation, in somatosexual disorders of children; role of adrenal cortex, 24*
—— metastases to, from thyroid cancer; effect of radioiodine in, 1084*
—— minimal lesions of, and advanced bone age, in Albright's syndrome observed in Brazil, 1499*
—— retarded bone age; frequency of, in enuretic children; treatment with methyltestosterone, 833†
BOOKS
—— received, 578, 674, 1625
—— review, 112
BRAIN: *see also* Mental; Nervous system; Psychoses
——atrophy of frontal lobes in panhypopituitarism, 540*
BRAIN (cont.)
—— cerebral metabolism; action of steroid hormones on, 806†
—— electroencephalogram in female with pituitary hypogonadism and adrenal androgen deficiency, 330*
—— electroencephalogram in congenital spastic quadriplegia with androgenic precocity, 721*
—— electroencephalogram in pseudohypoparathyroidism, 1609*
—— lobotomy, bilateral, prefrontal; influence on thyroid activity in psychosis, 716*
BRAZIL, Albright's syndrome observed in, 1499*
BREAST: *see also* Menstruation; Ovary
—— conditions associated with premenstrual tension; effect of vitamin A, 1579*
—— lactation, idiopathic, following thoracoplasty, 729*
—— prolactin; *see* Pituitary, preparations
GYNECOMASTIA
—— androgens determined biologically versus 17-ketosteroids determined chemically in, 692*
—— following spinal cord injury, 858*
—— in dystrophia myotonica with Klinefelter's syndrome, 630*
—— in gametogenic failure with high urinary FSH, 1533*
—— in Laurence-Moon-Biedl syndrome, 108*
—— in some boys treated with testosterone, 815†
—— with enuchoidism; testicular histology, FSH and 17-ketosteroid excretion in, 121*
BROODINESS in the fowl; estrogenic interruption of, 829†
BURNS, severe; treatment with ACTH, 1171*

CALCIUM METABOLISM: *see also* Blood; Bones; Electrolytes; Parathyroids
—— and phosphorus in plasma of rabbits in study of functional relation between pituitary and parathyroids, 810†
—— balance in Cushing's syndrome and in virilism; effect of ACTH, 594*
—— balance in hypophyseal female dwarf, 492*
—— hypercalcemia; hyperparathyroidism; bone disease; bioassay of urinary corticoids in, 230*
—— metabolism in Cushing's syndrome with alkalosis and "steroid diabetes," 289*

CALCIUM METABOLISM (cont.)
—— studies, in pseudohypoparathyroidism with tetany, 1609*
OF BLOOD
—— in acromegaly with insulin-resistant diabetes and hyperadrenocorticism, 410*
—— in adrenal cortical virilism, before and after operation, 270*
—— in syndrome resembling glycogen disease, 339*
—— in pemphigus foliaceus, 1591*
—— in Albright's syndrome, 1499*
—— in Boeck's sarcoid, 1602*
—— in congenital spastic quadriplegia with androgenic precocity, 721*
—— in goitrous cretins, 1471*
—— in panhypopituitarism, 540*
CANCER: *see also* under various organs involved; and under Tumors
—— chorionic epithelioma of testis and gynecomastia; androgens determined biologically versus 17-ketosteroids determined chemically in, 692*
—— effect of cortisone in, 1312*
—— effect of I^{131} in thyroid cancer and metastases; *see* Iodine, radioactive
—— nonthyroidal; radioiodine values in, 1425*
—— of prostate; progesterone therapy in, 808†
CARBOHYDRATE METABOLISM: *see also* Adrenals; Blood; Diabetes mellitus; Insulin
—— beta-glucuronidase in pemphigus foliaceus; effect of vitamin A, 1591*
—— blood and urine sugar in insulin-resistant diabetic treated with DOCA, 1517*
—— effect of cortisone on, 1312*
—— glucocorticoids before and after ACTH, in normal subjects, 583*
—— glucose excretion; effect of cortisone and ACTH on, in arthritic diabetics, 1363*
—— glucose; prolonged perfusion of dog's pancreas with, 805†
—— glucose tolerance and insulin tolerance curves in hypophyseal female dwarf, 492*
—— glucose tolerance curves before and after removal of pheochromocytoma, 897*
—— glucose tolerance decreased in pseudohypoparathyroidism, 1609*
—— glucose tolerance in congenital spastic quadriplegia with androgenic precocity, 721*
—— glucose, urinary; effect of ACTH on, in normal subjects during humid heat, 12*
CARBOHYDRATE METABOLISM (cont.)
—— glycogen content of liver; effect of diet on, in mice, 230*
—— glycogen disease in apubescent girl; effect of menarche on hepatomegaly in, 339*
—— glycogen in human testicular biopsy material, 1465*
—— glycogen index; correlation with vaginal smears in ovarian disorders, 831†
—— hyperglycemic factor extracted from the pancreas (endocrine review), 556*
—— hypoglycemia, fatal, in Simmonds' disease observed for 9 years, 1417*
—— in acromegaly with hyperadrenocorticism, 410*
—— in Cushing's syndrome and in virilism during ACTH therapy, 594*
—— in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— in pseudohermaphrodism with adrenal hyperplasia and Addison's disease, 703*
—— insulin sensitivity and hypoglycemia unresponsiveness during insulin tolerance test in panhypopituitarism, 540*
—— insulin tolerance test; *see also* Insulin
—— progressive glucose tolerance curves, in girl with glycogen disease, before and after menarche, 339*
—— studies of, in hyperadrenocorticism; effect of ACTH, 825†
—— synthesis of tissue carbohydrates by cortisone; activity enhanced by insulin, 800*
CARCINOMA: *see* Cancer
CASTRATION: *see* Climacteric; Menstruation; Ovary; Testis
CHILDREN: *see also* Dwarfism; Growth; Infants; Puberty, precocious; and under various endocrine glands
—— enuretic; frequency of retarded bone age in; treatment with methyltestosterone, 833†
—— normal and hypothyroid; uptake and urinary excretion of I^{131} in, 811†
—— somatosexual disturbances in; role of adrenal cortex, 24*
—— studies on circulating growth hormone in, 829†
—— thyroid cancer in, 1092*, 1296*
—— urinary corticosteroids of, determined chemically, 479*
CHLORIDE: *see also* Addison's disease; Blood; Electrolytes; Sodium
—— and sodium excretion; relative independence of, 368*
—— hypochloremic, hypokaliemic alkalosis in Cushing's syndrome, and in

CHLORIDE (cont.)
ACTH-treated arthritics, 399*
—— metabolism in panhypopituitarism, 540*
—— of thermal sweat, as indicator of endogenous "salt-active" corticoids; effect of ACTH, 12*
CHOLESTEROL: *see also* Fat; Lipids
—— mixed with hormones, versus hormone alone; effect on absorption of implants, in guinea pig, 1511*
—— tissue distribution of; effect of thyroid hormone, 813†
OF BLOOD
—— in adrenal cortical virilism, before and after operation, 270*
—— in glycogen disease, before and after menarche, 339*
—— in hypophyseal female dwarf, 492*
—— in pseudohypoparathyroidism, 1609*
—— *plasma*, and basal metabolism, in study of thyroid disease, 1126*
—— plasma levels of; significance in hypopituitary myxedema, 838†
—— *serum;* effect of ACTH on, in Cushing's and nephrotic syndromes, 1375*
—— in Albright's syndrome, 1499*
—— in Boeck's sarcoid, 1602*
—— in congenital spastic quadriplegia with androgenic precocity, 721*
—— in dystrophia myotonica, 630*
—— in goitrous cretins, 1471*
—— in hypometabolism, 1192*
—— in myxedema; effect of thyroid therapy on, 1401*
—— in panhypopituitarism, 540*
—— in Simmonds' disease, 1417*
—— influence of bilateral prefrontal lobotomy on, in psychiatric patients, 716*
—— relation to SPI and massive dosage of iodide, 519*
CHORIONIC GONADOTROPIN: *see* Gonadotropins; Pregnancy, diagnosis
CIBA AWARD: *see* Association for the Study of Internal Secretions, awards
CLIMACTERIC: *see also* Androgens; Estrogens; Menstruation; Ovary
—— aged female; influence of estrogen, progesterone and androgen on basal temperature in, 511*
—— early; vaginal smear as diagnostic aid in, 675*
—— male; histology of testis, FSH and 17-ketosteroid excretion in, 121*
—— menopausal females with myxedema; function of adrenal cortex and pituitary in, 1401*
CLIMACTERIC (cont.)
—— menopause; treatment of, with estrogen, androgen, estrogen-androgen combination, and placebo, 1547*, 1616*
—— postmenopausal woman; effect of androgen administration in, 348*
—— treated by implantation of estradiol pellets, 447*
CLINICAL CONGRESS ON ACTH, Amsterdam, Holland; program and abstracts, 791
COLOMBIA, simple goiter in, 1309*
COMMITTEES of the Association; *see* Association for the Study of Internal Secretions
COMPOUNDS E and F: *see* Adrenals, preparations and compounds
CONGENITAL ANOMALIES: *see also* Hermaphrodism; Familial; and under various endocrine glands
—— adrenal hyperplasia with pseudohermaphrodism and Addison's disease, 703*
—— brachydactylia and thick neck in pseudohypoparathyroidism, 1609*
—— congenital spastic quadriplegia with androgenic precocity, 721*
—— congenital hyperplastic deficient adrenals with pseudohermaphrodism, 703*
—— in pituitary hypogonadism with adrenal androgen deficiency, in a female, 330*
—— polydactylism in Laurence-Moon-Biedl syndrome, 108*
—— thyroglossal tract lesions, 1108*
COPROPORPHYRIN excretion; effect of isotopic (I^{131}) and x-radiation on, 1029*
CORPUS LUTEUM: *see* Ovary; Progesterone
CORTICOIDS; CORTICOSTEROIDS; CORTIN: CORTATE: *see* Adrenals, preparations; Steroids
CORTISONE (compound E): *see* Adrenals, preparations, cortisone
COUNCIL of the Association: *see* Association for the Study of Internal Secretions
COURSES: *see* Postgraduate courses
CREATININE: *see also* Nitrogen; Protein
—— excretion before and after removal of pheochromocytoma, 897*
—— excretion following severe spinal cord injury, 858*
—— excretion in newborn infants; effect of ACTH on, 845*
CRETINISM: *see* Thyroid disorders, hypothyroidism
CRYPTORCHISM: *see* Testis
CUSHING'S SYNDROME: *see also* Adrenals, disorders; Pituitary, disorders

CUSHING'S SYNDROME (cont.)
—— adrenal cortical response to 48-hour ACTH test in, 834†
—— and acromegaly; metabolic effects of ACTH in, 822†
—— benzodioxane test in, 1*
—— bioassay of urinary corticosteroids in, 230*
—— color test for dehydroisoandrosterone in, 54*
—— effect of ACTH and cortisone on thyroid function in, 1275*
——eosinophils in, 187*
—— from adrenal cortical tumor; surgical mortality, 839†
—— hypokaliemic, hypochloremic alkalosis in; treatment with KCl and testosterone, 399*
—— in boy aged 15, with alkalosis and "steroid diabetes"; necropsy; relationship to compound F, 289*
—— in children; role of adrenal cortex, 24*
—— 17-ketosteroid excretion in, 230*
—— metabolic studies with ACTH in, 594*
—— observations on pathogenesis of, 827†
—— radioiodine values in, 1425*
—— studies on carbohydrate and steroid metabolism in; role of ACTH. 825†
CYSTINE, S^{35}-labelled, in study of adrenal metabolism 820†

DEHYDROISOANDROSTERONE
——color test for; use in diagnosis of adrenocortical tumors, 54*
—— urinary; simple method for analyzing steroid absorption curves, in determination of, 71*
DESOXYCORTICOSTERONE: *see* Adrenals, preparations
DEXTROSE: *see* Blood; Carbohydrate metabolism; Diabetes mellitus
DIABETES INSIPIDUS: *see* Pituitary, disorders
DIABETES MELLITUS: *see also* Blood; Carbohydrate metabolism; Insulin; Pancreas
—— acidosis of; correlation with rate of excretion of corticosteroids in, 307*
—— acidosis of, in mongolism; eosinophils and corticosteroids in; effect of insulin withdrawal on, 307*
—— ACTH diabetes in man; end-organ versus adrenocortical response, 825*
—— and Addison's disease; effect of hyperglycemic factor of pancreas in, 556*
—— and alkalosis, associated with Cushing's syndrome; necropsy, 289*
—— and rheumatic arthritis; antiarthritic effects of cortisone and ACTH in, 1363*
—— associated with eosinophilic adenoma of pituitary; study of testis structure in, 871*
—— associated with Laurence-Moon-Biedl syndrome, 108*
—— blood PBI in, 1237*
—— blood sugar; *see* Carbohydrate metabolism; Blood
—— changes in responsiveness to insulin induced by DOC, 821†
—— dextrose tolerance test: *see* Carbohydrate metabolism; Blood
—— effects of ACTH and steroid compounds upon ketolysis in, 834†
—— experimental, and growth hormone; effect of age and pregnancy, 824†
—— familial, insulin-resistant, with bilateral ovarian tumors, 840†
—— fat metabolism in; effect of ACTH, cortisone and other steroids on, 815†
—— glucose tolerance test: *see* Carbohydrate metabolism; Blood
—— incidence of vascular disease in, 828†
—— insulin resistance, treated with DOCA, 1517*
—— insulin-resistant, with acromegaly; hyperadrenocorticism in, 410*
—— insulin therapy; *see also* Insulin
—— juvenile, and growth retardation; sex-linked, 816†
—— microscopy of granules of pancreas, in diagnosis of diabetes, 828†
—— postpartum bleeding due to endometrial hyperplasia in diabetics treated with stilbestrol and progesterone, 603*
—— sugar tolerance test; *see* Carbohydrate metabolism; Blood
—— uric acid and glutathione content of blood in, 313*
DIBENAMINE test in pheochromocytoma, 897*
DIET: *see also* Anorexia nervosa; Fat; Nutrition; Obesity; Vitamins
—— effect on uptake of I^{131} in mice, 1177*
—— high in KCl, as modifier of effects of ACTH and growth hormone, 826†
DIETHYLSTILBESTROL: *see* Estrogens
DIIODOTYROSINE-LIKE fractions of blood and urine in thyroid disease, 996*
DIURESIS: *see* Kidney; Pituitary disorders, diabetes insipidus; Water
DUTCH Endocrinological Society; Clinical Congress on ACTH (program with abstracts), 791
DWARFISM: *see also* Growth; and under various endocrine glands

DRAWFISM (cont.)
—— adrenal, 24*
—— and diabetes mellitus; sex-linked, 816†
—— and ovarian agenesis; radioiodine values in, 1425*
—— hypophyseal; failure of growth hormone to produce nitrogen storage in, 492*
—— in pseudohypoparathyroidism with decreased glucose tolerance, 1609*
—— ovarian, with amenorrhea; effect of oral progesterone in, 886*
—— pituitary; alterations in structure of testis in, 871*
—— pituitary infantilism treated with growth hormone, thyroid and testosterone, 817†
—— short boys; anabolic effects of testosterone in, 815†
DYSTROPHIA MYOTONICA; endocrine function in (Klinefelter's syndrome); necropsy, 630*

ECLAMPSIA: *see* Pregnancy
EDEMA: *see* Electrolytes; Water metabolism
EDITOR, Letters to: *see* Association for the Study of Internal Secretions, Letters to the Editor
EDITORIAL BOARD and Editor of the Journal: *see* Association for the Study of Internal Secretions
ELECTROCARDIOGRAM: *see* Heart
ELECTROENCEPHALOGRAM: *see* Brain
ELECTROLYTES: *see also* Blood; under specific chemical elements involved; and under various endocrine glands
—— balance; effect of pregnenolone on, 841†
—— effect of cortisone on, 1312*
—— in ACTH-treated rheumatoid arthritis; effect of testosterone on, 399*
—— in alkalosis of Cushing's syndrome; effect of KCl and testosterone on, 399*
—— in pseudohermaphrodism with congenital adrenal hyperplasia and Addison's disease, 703*
—— in thermal sweat, as index of endogenous "salt-active" corticoids; effect of ACTH on, 12*
—— of blood, in myxedema; effect of thyroid therapy on, 1401*
—— of serum in congenital spastic quadriplegia with androgenic precocity, 721*
—— studies of, in Cushing's syndrome and in virilism, 594*
—— studies of, in panhypopituitarism, 540*
—— urinary; effect of ACTH on, in normal subjects during humid heat, 12*
ENCEPHALOGRAM: *see* Brain
ENDOCRINE: *see also* Androgens; Estrogens; Gonadotropins; Hormones; Progesterone; Steroids; and under various endocrine glands
—— glands; fetal; role of, in development, 942*
—— reviews, 455*, 556*, 641*, 735*, 942*, 1312*
ENDOMETRIUM; ENDOMETRIOSIS: *see* Menstruation; Uterus
EOSINOPHILS: *see* Blood, cells
EPINEPHRINE: *see* Adrenals, preparations
EPIPHYSES: *see* Bones
EQUINE GONADOTROPIN: *see* Gonadotropins
ERRATUM, 1, 121
ESSAYS, winning Van Meter Prize Award and Honorable Mentions: *see* American Goiter Association
ESTRADIOL; ESTRIN; ESTRIOL: *see* Estrogens
ESTROGENS: *see also* Climacteric; Gonadotropins; Hermaphrodism; Hormones; Menstruation; Ovary; Pregnancy; Progesterone; Puberty, precocious; Steroids
—— effect of cholesterol on absorption of from implants, in the guinea pig, 1511*
—— estrin secretion during chorionic gonadotropin therapy for pituitary hypogonadism with adrenal androgen deficiency, in a female, 330*
—— estrogenic activity of urinary sediment in premenstrual tension, 1579*
—— estrone in single doses; metabolism of, in menstrual cycle phases, 806†
—— excretion of, in paraplegic males, 381*
—— in adrenal cortical virilism in a 5-year-old girl, 270*
—— in blood and urine in girl with glycogen disease, 339*
—— in somatosexual disorders in children, 24*
—— urinary, in Albright's syndrome, 1499*
— in congenital spastic quadriplegia with androgenic precocity, 721*
— in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
— in pseudohermaphrodism with adrenal hyperplasia and Addison's disease, 703*
— relation to menopausal symptoms; effect of implanted estradiol pellets, 447*
— simple method for analyzing steroid absorption curves, in determination of, 71*

ESTROGENS (cont.)
EFFECTS AND THERAPY
—— alpha-estradiol versus wheat germ oil; effect on sex organs of hypophysectomized rats, 807†
—— applied topically, in treatment of juvenile acne, 842†
—— combined with progesterone in therapy of menstrual disorders, 641*
—— effect of, when applied directly to senile human skin, 831†
—— effect on avidin secretion and biotin blood levels in the chick, 806†
—— effect on basal body temperature in pituitary amenorrhea, 842†
—— effect on basal temperature and relation to artificial menstruation in aged female, 511*
—— effect on fat deposition in domestic animals, 1142*
—— effect on testicular structure and FSH and 17-ketosteroid excretion in the human, 121*
—— effect on thyroid weight and I^{131} uptake, in the rat, 1282*
—— estrogenic interruption of broodiness in the fowl, 829†
—— estrone and progesterone precipitates; induction of cyclic changes in vagina but not in uterus, following single injection of, 615*
—— estrone; response to, of intraocular endometrial implants in female rabbits with intact uteri, 830†
—— implanted estradiol pellets in treatment of estrogen deficiency, 447*
—— oral combined estrogen-androgen therapy in treatment of the menopause, 1547*, 1616*
—— priming, before use of oral progesterone, in amenorrhea, 886*
—— producing gynecomastia in men; *see* Breast, gynecomastia
—— production of pseudopregnancy by, in rat; quantitative studies, 830†
—— stilbestrol therapy in acromegaly with insulin-resistant diabetes and hyperadrenocorticism, 410*
—— stilbestrol therapy in diabetics; postpartum bleeding due to endometrial hyperplasia following, 603*
—— therapy, in the prevention of masculinization of women from androgen therapy, 348*
ESTRONE: *see* Estrogens
EUNUCHISM and EUNUCHOIDISM: *see* Testis disorders; Androgens; Pituitary disorders
EXERCISE: *see also* Stress
—— effect on PBI, 1237*
EXCERPTA MEDICA, 672
EXOPHTHALMIC GOITER: *see* Thyroid disorders
EXOPHTHALMOS: *see* Eyes; and Thyroid disorders, hyperthyroidism
EYES
—— blue sclerae in Albright's syndrome, 1499*
—— cataracts in dystrophia myotonica with endocrine manifestations, 630*
—— choroiditis of Boeck's sarcoid, 1602*
—— exophthalmos; effect of ACTH on thyroid function in, 1375*
—— exophthalmos; evaluation of radioiodine as diagnostic test in, 1425*
—— exophthalmos; present concepts of pathologic physiology of, 1202*
—— exophthalmos, progressive (malignant); study of, and comparison with experimental exophthalmos produced by TSH, 1202*
—— exophthalmos, progressive; surgical treatment of, 1231*
—— in congenital spastic quadriplegia with androgenic prococity, 721*
—— intraocular endometrial implants in female rabbits with intact uteri; response of, to estrone, 830†
—— malignant exophthalmos; effect of pregnenolone in, 841†
—— malignant exophthalmos; fulguration of pituitary for; testicular structure following, 871*
—— malignant exophthalmos; uptake of radioiodine in, 910*
—— ocular lesions other than exophthalmos in hyperthyroidism with thyrotoxin neuropathy, 837†

FAMILIAL
—— dystrophia myotonica associated with Klinefelter's syndrome, in brothers, 630*
—— element in 2 cases of Albright's syndrome, 1499*
—— endocrinopathies in family of girl with pseudohypoparathyroidism, 1609*
—— factor in thyroid cancer of children, 1296*
—— female pseudohermaphrodism, 818†
—— gouty father and hyperuricemic son; effect of ACTH in, 835†
—— heredofamilial deviations in Laurence-Moon-Biedl syndrome, 108*
—— insulin-resistant diabetes mellitus, 840†

FAMILIAL (cont.)
—— juvenile diabetes and growth retardation, sex-linked, 816†
—— study of a family of goitrous cretins, 1471*
FAT: *see also* Cholesterol; Lipids; Nutrition; Obesity
—— metabolism; effect of cortisone on, 1312*
—— metabolism in diabetics and nondiabetics; effect of ACTH, cortisone and other steroids on, 815†
FATIGUE: *see also* Exercise; Stress
—— effect of pregnenolone in, 455*
FELLOWSHIPS: *see* Awards
FERTILITY: *see* Sterility; Ovary; Pregnancy; Testis
FETUS: *see also* Infants; Pregnancy
—— fetal endocrine glands; role of, in development (endocrine review), 942*
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadrotropins; Pituitary
FROG
—— male; hormonal factors producing gametokinetic response in; comparison with rat ovarian hyperemia response, 265*
—— male, Palestinian; used for pregnancy test, 933*
FRÖHLICH'S SYNDROME: *see* associated with Ovarian, Pituitary and Testicular disorders
FSH: *see* Gonadotropins; Pituitary

GASTRO-INTESTINAL TRACT
—— sprue; adrenal cortical function in, 939*
—— sprue, non-tropical; radioiodine values in, 1425*
GEORGIA, Medical College of; graduate course in endocrinology, 671
GIGANTISM: *see* Pituitary, disorders
GLUCOSE: *see* Blood; Carbohydrate metabolism; Diabetes mellitus; Insulin
GLUTATHIONE and uric acid content of blood in diabetes mellitus, 313*
GLYCOGEN: *see also* Carbohydrate metabolism; Diabetes mellitus; Liver
—— glycogen disease; syndrome resembling, in an apubescent girl; effect of menarche on hepatomegaly in, 339*
GLYCOSURIA: *see* Carbohydrate metabolism; Diabetes mellitus
GOITER: *see* Thyroid, disorders
GOITROGENS: *see* Antithyroid drugs; Thiouracil; Thyroid, disorders
GONADOTROPINS: *see also* Pituitary preparations; Pregnancy
—— chorionic; effect on spermatozoa of Palestinian male frog, 933*
GONADOTROPINS (cont.)
—— chorionic; effect on 17-ketosteroid excretion in female with pituitary hypogonadism and adrenal androgen deficiency, 330*
—— chorionic; extrarenal and renal disposal of, in immediate postpartum period, 371*
—— effect on sperm count in gametogenic failure with high FSH, 1533*
—— equine; studies in stability of, 432*
—— gametokinetic response to, in male frog; comparison with rat ovarian hyperemia response, 265*
—— gonadotropic activity of pituitary synergist used to improve ROH test for pregnancy, 423*
—— gonadotropic principles; role in myeloid response to crude anterior pituitary preparations, in the rat, 836†
IN URINE
—— before and after removal of pheochromocytoma, 897*
—— chorionic; *see also* Pregnancy, diagnosis
—— excretion in paraplegic males, 381*
—— FSH and LH in testicular deficiency, 121*
—— FSH in Laurence-Moon-Biedl syndrome, 108*
—— FSH excretion in acromegaly and hypopituitarism, 230*
—— FSH excretion in panhypopituitarism, 540*
—— FSH; high titer of, with gametogenic failure, 1533*
—— in Albright's syndrome, 1499*
—— in congenital spastic quadriplegia with androgenic precocity, 721*
—— in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— in glycogen disease, before and after menarche, 339*
—— in goitrous cretins, 1471*
—— in idiopathic lactation following thoracoplasty, 729*
—— in Klinefelter's syndrome, associated with dystrophia myotonica, 630*
—— in myxedema; effect of thyroid therapy on, 1401*
—— in organic pituitary disease, 871*
—— in pregnancy; *see* Pregnancy, diagnosis
—— in various types of male hypogonadism, 248*
—— normal titer of, in case of ovarian agenesis, 610*
—— relation to menopausal symptoms; effect of implanted estradiol pellets, 447*

GONADOTROPINS (cont.)
IN URINE (cont.)
—— relation to urinary androgens and 17-ketosteroids, in gynecomastia, liver disease and hypogonadism, 692*
GONADS: *see also* Androgens; Estrogens; Gonadotropins; Hermaphrodism; Ovary; Testis
—— fetal; role of, in development, 942*
—— in the Laurence-Moon-Biedl syndrome, 108*
GOUT
—— effect of ACTH in gouty father and hyperuricemic son, 835†
—— effect of cortisone in, 1312*
—— effect of pregnenolone in, 841†
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROWTH: *see also* Children; Dwarfism; Puberty; Pituitary preparations; and under various endocrine glands
—— anabolic effects of testosterone compounds, in boys, 815†
—— and development of children with thyroid cancer, 1296*
—— and maturation in a case of idiopathic precocious puberty, 839†
—— curtailed by high dosages of I^{131} in mice, 1177*
—— development; role of fetal endocrine glands in, 942*
—— effect of cortisone on, 1312*
—— height, in children with Albright's syndrome, 1499*
—— hormone; failure of, to produce nitrogen storage in hypophyseal female dwarf, 492*
—— hormone: *see also* Pituitary, preparations
—— in girl with glycogen disease, correlated with effect of menarche on hepatomegaly in, 339*
—— in somatosexual disturbances in children; role of adrenal cortex, 24*
—— of domestic animals; role of endocrines in, 1142*
—— of tissue, without genital growth; produced by a steroid, 806†
—— retardation and juvenile diabetes, sex-linked, 816†
GYNECOMASTIA: *see* Breast

HAIR: *see also* Cushing's syndrome; Hermaphrodism; Puberty, precocious; Virilism; and under various endocrine disorders
—— hirsutism and virilism in 5-year-old girl; remission and recurrence, 270*
HAIR (cont.)
—— hirsutism following treatment of menopause with androgen and estrogen-androgen combination, 348*, 1547*
—— in somatosexual disorders in children, 24*
HARVARD MEDICAL SCHOOL; graduate course in pediatric endocrinology and metabolic disease, 844
HEART
—— cardiovascular and renal disease; blood iodine in, 735*
—— congestive failure and intractable angina in euthyroid patients; therapy with radioiodine, 1270*
—— coronary occlusion; eosinophil count in, 637*
—— disease; radioiodine values in, 910*, 1425*
—— electrocardiogram in alkalosis of Cushing's syndrome; effect of KCl and testosterone on, 399*
—— electrocardiogram in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— electrocardiogram in panhypopituitarism, 540*
—— electrocardiogram in pseudohypoparathyroidism, 1609*
—— failure; blood PBI as a routine procedure in, 1237*
HEAT: *see also* Temperature
—— humid; acclimatization to, a function of the adrenal cortex mediated via ACTH, 12*
HEIGHT: *see* Children; Dwarfism; Growth
HERMAPHRODISM: *see also* Ovary; Puberty, precocious; Testis; Virilism
—— pseudo; familial, in females, 818†
—— pseudo; in female; differential diagnosis, with color test for dehydroisoandrosterone, 54*
—— pseudo; with congenital adrenal hyperplasia and Addison's disease, 703*
—— somatosexual disturbances in children; role of adrenal cortex, 24*
HIRSUTISM: *see* Hair
HONORABLE MENTIONS for Van Meter Prize: *see* American Goiter Association
HORMONES: *see also* Androgens; Estrogens; Gonadotropins; Progesterone; Steroids; and under various endocrine glands
—— and behavior (book review), 112
—— hormonal factors producing gametokinetic response in male frog; comparison with rat ovarian hyperemia response, 265*

17-HYDROXYCORTICOSTERONE: *see* Adrenals, preparations (compound F)
HYPEREMIA TEST: *see also* Ovary; Pregnancy, diagnosis
—— comparison with gametokinetic response in male frog, 265*
—— improvement of, 423*
HYPERGLYCEMIA: *see* Blood; Carbohydrate metabolism; Diabetes mellitus
HYPERMETABOLISM: *see* Basal metabolism
HYPERTENSION: *see* Vascular system
HYPERTHYROIDISM: *see* Thyroid disorders
HYPERTRICHOSIS: *see* Hair
HYPOCHLOREMIA: *see* Chloride; Electrolytes; Sodium
HYPOGENITALISM: *see* Hermaphrodism; Menstruation; Ovary; Pituitary; Sterility; Testis
HYPOGLYCEMIA: *see* Blood; Carbohydrate metabolism; Diabetes mellitus; Insulin
HYPOGONADISM: *see* Hermaphrodism; Menstruation; Ovary; Pituitary; Sterility; Testis
HYPOKALIEMIA: *see* Potassium; Electrolytes
HYPOMETABOLISM: *see* Basal metabolism
HYPOPITUITARISM: *see* Pituitary disorders
HYPOTHALAMUS
—— lesion of, caused by Boeck's sarcoid; necropsy, 1602*
—— relationship to ACTH eosinopenia, 187*
HYPOTHYROIDISM: *see* Thyroid disorders

IMPLANTATION: *see* Administration; and under various endocrine preparations
IMPOTENCE: *see* Sterility; Testis
INDEX to Volume 10 (1950)
—— author, 1627
—— subject, 1637
INFANTILISM: *see* Dwarfism; Growth; Pituitary disorders
INFANTS: *see also* Congenital abnormalities; Children; Fetus; Pregnancy
—— newly born; adrenal cortical function in, studies by ACTH, 845*
—— urinary corticosteroids determined chemically in, 479*
INFECTION
—— effect on urinary corticosteroid values in children, 479*
—— theory of goiter as infectious disease, 1309*
INFERTILITY: *see* Sterility
INSULIN: *see also* Carbohydrate metabolism; Diabetes mellitus; Pancreas
—— as a synergist to cortisone in treatment of rheumatoid arthritis, 800*
—— changes in responsiveness to, induced by DOC in diabetics, 821†
—— effect of withdrawal on eosinophils and urinary corticosteroids, in mongolism with diabetic acidosis, 307*
—— insensitivity to, in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— resistance; DOCA in the treatment of, 1517*
—— insulin-resistant diabetes and acromegaly; hyperadrenocorticism in, 410*
—— tolerance test, in hypophyseal female dwarf, 492*
—— tolerance test in myxedema; effect of thyroid therapy on, 1401*
—— tolerance test in panhypopituitarism, 540*
—— tolerance test in Simmonds' disease, 1417*
—— various types of; blood sugar tests for evidence of hyperglycemic factor in, 556*
IODINE: *see also* Blood; Thiouracil; Thyroid
—— compounds in blood and urine of man, determined by radioactive analysis, 996*
—— content of goiter removed from a cretin, 1071*
—— content of thyroid in domestic animals, 1142*
—— exogenous; effect on blood iodine, 735*
—— in blood; *see* Blood, iodine
—— in diet; effect on thyroid uptake of I^{131}, in mice, 1177*
—— inorganic iodide in massive and small dosages; effects on serum iodine fractions, 519*, 532*
—— iodides and iodine-containing compounds; effect on diagnostic radioiodine studies, 1425*
—— iodinated thiouracils versus thiouracil and KI; interpretation of properties of, in animals, 1485*
—— iodocasein; effect in domestic animals, 1142*
—— Lugol's solution with thiourea in the treatment of hyperthyroidism; behavior of SPI, 1251*
RADIOACTIVE
—— accumulating function of human thyroid, used as diagnostic test, 1425*

IODINE (cont.)
RADIOACTIVE (cont.)
—— accumulation and discharge, in goitrous cretins and normal sibling; effect of KSCN on, 1471*
—— accumulation; comparison of 4 methods for measuring, 1425*
—— and gonadal function, 810†
—— appraisal of tracer technique, in diagnosis of thyroid disorders, 1054*
—— distribution of, in human tissues; 9 necropsies, 1007*
—— evaluation of, in treatment of hyperthyroidism, 1022*
—— evaluation of therapy with, in metastatic thyroid cancer, 1084*
—— excretion and uptake of, in euthyroid cardiac patients treated with I^{131}, 1270*
—— excretion; evaluation of, as a diagnostic test, 1425*
—— functional and structural changes consequent to high dosages of, in mice, 1177*
—— in blood: *see* Blood, iodine
—— in modern treatment of exophthalmic goiter; role of research in development of, 989*
—— in study of iodine compounds in blood and urine of man, 996*
—— in treatment of euthyroid cardiac patients with intractable angina and congestive failure, 1270*
—— in treatment of the hyperthyroidism of nodular goiter, 1077*
—— in treatment of thyroid cancer, 1152*
—— isotopic (I^{131}) and X-radiation; effect on total coproporphyrin excretion, 1029*
—— new method for quantitatively measuring uptake of, in thyroid, 910*
—— radioautographs in the study of thyroid cancer in children, 1296*
—— tracer studies with ACTH in the rat, 809†
—— uptake and excretion of, in animals treated with thiouracil and iodinated derivatives, 1485*
—— uptake and urinary excretion of, before and after TSH, used for differential diagnosis of hypothyroidism, 1192*
—— uptake and urinary excretion of, in normal and hypothyroid children, 811†
—— uptake; effect of ACTH and cortisone on, in health and disease, 1375*
IODINE (cont.)
RADIOACTIVE (cont.)
—— uptake; effects of adrenal and gonadal products on, in the rat, 1282*
—— uptake in hypermetabolism of acromegaly, 687*
—— uptake in hyperthyroidism and in nontoxic goiter, 812†
—— uptake in panhypopituitarism, before and after TSH, 540*
—— uptake in thyroid disorders and euthyroid conditions, 910*
—— urinary, after tracer and therapeutic doses; simple method for accurate measurement of, 437*
IODOCASEIN: *see also* Iodine; Thiouracil; Thyroid
—— effect of, in domestic animals, 1142*
IRRADIATION: *see* Radioactive; and Roentgen ray

JEFFERSON Medical College and Hospital fellowship in gynecologic endocrinology, 285

KETONES; KETOSIS: *see* Blood; Diabetes mellitus
KETOSTEROIDS: *see* Steroids
KIDNEY: *see also* Urine
—— congenital polycystic kidneys; chronic pyelonephritis; chronic glomerulonephritis; benzodioxane test in, 1*
—— nephrotic syndrome; effect of ACTH and cortisone on thyroid function in, 1375*
—— nephrotic syndrome; response of adrenal cortex and thyroid to ACTH and cortisone in, 823†
—— nephrotic syndrome; serum iodine fractions in, during KI therapy, 519*
—— renal acidosis as element in case of diabetic acidosis; corticosteroid excretion in, 307*
—— renal and extrarenal disposal of chorionic gonadotropin in immediate postpartum period, 371*
—— renal and extrarenal disposal of I^{131}, 1425*
—— renal cancer, metastatic; distribution of I^{131} in body tissues; necropsy, 1007*
—— renal disease; blood iodine in, 735*
—— renal function; effect of DOCA on, 828†
—— renal insufficiency; radioiodine values in, 1425*
—— role in metabolism of intravenous testosterone, 832†
—— urinary sediment; cells in, in pre-

KIDNEY (cont.)
menstrual tension; effect of vitamin A, 1579*
—— urine volume; correlation with corticosteroid values, 1559*
KLINEFELTER'S SYNDROME, associated with dystrophia myotonica; necropsy, 630*

LABOR: *see* Pregnancy; Uterus
LACTATION: *see also* Breast; Pituitary, prolactin; Pregnancy
—— idiopathic; following thoracoplasty for tuberculosis, 729*
LAWRENCE-MOON-BIEDL SYNDROME; gonads in, 108*
LAURENTIAN HORMONE CONFERENCE for 1950
—— announcement of, 370
—— program of, 477
LETTERS TO THE EDITOR: *see* Association for the Study of Internal Secretions, letters to the editor
LEUKOCYTES: *see* Blood, cells
LIPIDS: *see also* Cholesterol; Fat
—— of blood, in acromegaly with insulin-resistant diabetes and hyperadrenocorticism, 410*
—— partition of, in serum; studies on hormonal control of, 814†
LIVER
—— biliary cirrhosis; effect of KI on serum iodine fractions in, 519*
—— carcinoma of, associated with panhypopituitarism, 540*
—— effect of hypophysectomy, growth and ACTH on phosphorus fractions in rat liver, 804†
—— function; relation to coproporphyrin excretion; effect of I^{131} and x-radiation on, 1029*
—— glycogen content; effect of diet on, in mice, 230*
—— glycogen storage prevented by adrenal transplantation, 820†
—— hepatic catalase; effect of growth hormone on, in rat, 805†
—— hepatic disease; androgens determined biologically versus 17-ketosteroids determined chemically in, 692*
—— hepatic disease; blood iodine in, 735*
—— hepatomegaly in apubescent girl with glycogen disease; effect of menarche on, 339*
—— impaired function of, following severe spinal cord injury, 858*
—— involved in mechanism of action of hyperglycemic factor extracted from pancreas, 556*
LIVER (cont.)
—— Laennec's cirrhosis; antidiuretic substance of serum in; relation to urinary corticosteroids, 318*
—— role in metabolism of intravenous testosterone, 832†
LUNGS: *see also* Tuberculosis
—— pulmonary metastases; incidence of, in thyroid cancer of children, 1296*
—— thoracoplasty for tuberculosis of; idiopathic lactation following, 729*
LUPUS ERYTHEMATOSUS
—— disseminatus; effect of cortisone in, 1312*
—— effect of pregnenolone in, 841†
LUTEINIZING HORMONE (LH): *see* Gonadotropins; and Pituitary, preparations
LYMPH NODES, cervical; incidence of metastases to, in thyroid cancer in children, 1296*
LYMPHOCYTES: *see* Blood, cells; and Lymphoid tissue
LYMPHOID TISSUE: *see also* Lymphocytes; Lymphosarcoma; Thymus
—— effect of cortisone on, 1312*
—— in struma lymphomatosa; *see* Thyroid disorders
—— relation to adrenal cortex, 819†
LYMPHOSARCOMA; effect of x-radiation on coproporphyrin excretion in, 1029*

MALNUTRITION: *see* Anorexia nervosa; Nutrition; Vitamins
MARE gonadotropin: *see* Gonadotropins, equine
MASTITIS: *see* Breast
MEDICAL College of Georgia; graduate course in endocrinology, 671
MENOPAUSE: *see* Climacteric
MENSTRUATION: *see also* Climacteric; Estrogens; Pregnancy; Progesterone; Ovary; Puberty, precocious; Uterus; Vagina
—— artificial, in aged female; effect of estrogen, progesterone and androgen correlated with basal temperature, 511*
—— behavior disturbances associated with; treatment with thyroid, 838†
—— blood iodine during, 735*
—— disorders of; progesterone therapy in, 641*
—— effect on hepatomegaly and on glucose tolerance in apubescent girl with glycogen disease, 339*
—— in virilism; *see* Virilism
—— menopause: *see* Climacteric
—— normal cycle; pregnanediol excretion in, 89*

MENSTRUATION (cont.)
—— onset following removal of adrenal cortical carcinoma in 5-year-old girl; associated disturbances, 270*
—— ovulation; *see* Ovary; Progesterone; Sterility
—— pre- and postovulatory phases of cycle; metabolism of single doses of estrone in, 806†
—— precocious: *see* Puberty, precocious
—— premenstrual tension; treatment with vitamin A, 579*
—— premenstrual water retention; antidiuretic substance of serum in; relation to urinary corticosteroids, 318*
AMENORRHEA
—— cyclic changes, induced in vaginal but not in uterine mucosa by single injection of gonadal hormones, 615*
—— effect of sex hormones on basal body temperature in, 842†
—— following large doses of radioiodine, 810†
—— premenopausal females with myxedema; function of adrenal cortex and pituitary in, 1401*
—— quantitative determination of pregnanediol in, 496*
—— treated by implantation of estradiol pellets, 447*
—— vaginal smear as diagnostic aid in, 675*
—— "withdrawal bleeding" after oral progesterone, with and without estrogen priming, 886*
MENTAL: *see also* Brain; Nervous system; Psychoneuroses
—— behavior and hormones (book review), 112
—— behavior disturbances associated with menses; treatment with thyroid, 838†
—— changes associated with Boeck's sarcoid causing hypothalamic lesion, 1602*
—— deficiency associated with quadriplegia and androgenic precocity, 721*
—— status of a family of goitrous cretins, 1471*
MERCAPTOIMIDAZOLES; clinical application to hyperthyroidism, 813†
METABOLISM: *see* Basal metabolism; and under specific substance concerned
METHODS: *see also* Administration; Pregnancy, diagnosis; Tests
—— bioassay, for determination of urinary corticosteroids; clinical experience with, 230*
—— biopsy studies; *see* Biopsy
METHODS (cont.)
—— comparison of biologic assay of urinary androgens and chemical assay of urinary 17-ketosteroids, 682*
—— comparison of chemical and biologic methods for urinary cortin-like substances, 84*
—— for fractionization of blood iodine, 735*
—— for histochemical study of glycogen in human testicular biopsy material, 1465*
—— for weighing the markedly overweight, 359*
—— for urinary corticosteroids, permitting analysis of steroids poorly soluble in water, 1559*
—— improved; for quantitative estimation of urinary pregnanediol, 101*
—— modification of alkali incineration method for PBI; comparison with acid digestion-distillation method, 1136*
—— modified, for corticosteroids, 1570*
—— modified, for determination of alterations in serum iodine fractions, 519*
—— modified, for extracting coproporphyrin from urine and feces, 1029*
—— modified, for quantitative determination of pregnanediol; influence of method upon results, 496*
—— modified, surgical, for treatment of progressive exophthalmos, 1231*
—— new, for quantitative direct measurement of I^{131} uptake in the thyroid, 910*
—— new intralaryngeal approach for arytenoidectomy in treatment of bilateral abductor vocal cord paralysis, 1118*
—— new, simple, for accurate measurement of urinary I^{131} after tracer and therapeutic doses, 437*
—— of administration; *see* Administration; and substance involved
—— phase contrast microscopy in visualization of islets of Langerhans in man, 828†
—— simple, for analyzing complicated absorption curves; application to urinary steroids, 71*
—— simple, for neutral 17-ketosteroids, 841†
—— surgical; *see also* Surgery
METHYLTESTOSTERONE: *see* Androgens
METHYLTHIOURACIL: *see* Thiouracil
MICHAEL REESE HOSPITAL postgraduate course in diseases of the endocrines, 987

MONGOLISM and diabetic acidosis; effect of insulin withdrawal on eosinophils and corticosteroid excretion in, 307*
MUMPS; bilateral orchitis; testicular histology, FSH and 17-ketosteroid excretion following, 121*
MUSCLE: *see also* Creatinine; Nutrition; Potassium; Protein
—— dystrophia myotonica; endocrine function in (Klinefelter's syndrome); necropsy, 630*
—— muscular atrophy, primary; radioiodine values in, 1425*
—— myasthenia gravis; effect of pregnenolone in, 455*
—— myasthenia gravis; increased adrenocortical function during remission induced by ACTH, 835†
—— myotonic dystrophy: testicular structure, FSH and 17-ketosteroid excretion in, 121*
—— myotrophic potency of methyl androstenediol, 806†
MYASTHENIA GRAVIS: *see* Muscle
MYOTONIC DYSTROPHY: *see* Muscle
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NECK
—— dissection; indications for, in thyroid carcinoma, 1099*
—— surgery of; *see* Thyroid
—— thick, in pseudohypoparathyroidism, 1609*
NEOPLASMS: *see* Tumors; and under various endocrine disorders
NEPHRITIS: *see* Kidney
NEPHROSCLEROSIS; NEPHROSIS: *see* Kidney
NEPHROTIC SYNDROME: *see* Kidney
NERVOUS SYSTEM: *see also* Brain; Mental; Psychoneuroses
—— autonomic; relationship to testicular function in paraplegic males, 381*
—— bilateral abductor vocal paralysis; new intralaryngeal approach for arytenoidectomy, in treatment of, 1118*
—— central and sympathetic; relationship to ACTH eosinopenia, 187*
—— congenital spastic quadriplegia with androgenic precocity, 721*
—— disorders of, associated with premenstrual tension; effect of vitamin A, 1579*
—— neuroblastoma; benzodiozane test in, 1*
—— neurotoxicity due to thiouracil and thiourea derivatives, 623*
—— thyrotoxin neuropathy in 2 cases of hyperthyroidism, 837†
NERVOUS SYSTEM (cont.)
—— spinal cord injury; metabolic consequences of, 858*
NETHERLANDS Endocrinological Society; Clinical Congress on ACTH (program with abstracts), 791
933-F; effect in hypertension and in pheochromocytoma, 1*
NITROGEN: *see also* Blood; Creatinine; Protein; Uric Acid
—— and glucose excretion; effect of cortisone and of ACTH on, in arthritic diabetics, 1363*
—— balance; effect of cortisone on, 1312*
—— balance; effect of pregnenolone on, 841†
—— excretion following severe spinal cord injury, 858*
—— metabolism in Cushing's syndrome and in virilism; effect of ACTH, 594*
—— metabolism in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— metabolism in pseudohermaphrodism with congenital adrenal hyperplasia and Addison's disease, 703*
—— storage; failure of growth hormone to produce, in female hypophyseal dwarf, 492*
—— urinary; effect of ACTH on, in normal subjects during humid heat, 12*
NOR-EPINEPHRINE: *see* Adrenals, preparations, epinephrine
NOTICES: *see* Announcements
NUTRITION: *see also* Anorexia nervosa; Diet; Obesity; Vitamins
—— malnutrition; blood PBI in, 1237*

OBESITY: *see also* Fat; Nutrition; and associated with endocrine disorders
—— blood PBI in, 1237*
—— in Lawrence-Moon-Biedl syndrome, 108*
—— markedly overweight subjects; method for weighing, 359*
OFFICERS of the Association; *see* Association for the Study of Internal Secretions, officers
OLIGOSPERMIA: *see* Testis, disorders and spermatozoa
ORAL methods of administration; comparison with other methods, *see* Administration
ORTHO AWARD: *see* American Society for the Study of Sterility
OVARY: *see also* Breast; Climacteric; Estrogens; Gonadotropins; Hermaphrodism; Menstruation; Pregnancy; Progesterone; Puberty, precocious; Sex; Sterility; Uterus; Vagina; Virilism

OVARY (cont.)
DISORDERS
—— amenorrhea; *see* Menstruation
—— apubescent girl with glycogen disease; effect of menarche on hepatomegaly in, 339*
—— atrophy of, in Simmonds' disease observed for 9 years; necropsy, 1417*
—— bilateral tumors of, in case of familial insulin-resistant diabetes, 840†
—— climacteric; *see* Climacteric
—— diffuse luteinization of, in virilism, 594*
—— estrogen deficiency states; treatment by implanted estradiol pellets, 447*
—— female pseudohermaphrodism, familial; relation to adrenal cortex, 818†
—— function of, in ovarian disorders, studied by vaginal smear and glycogen index, 831†
—— hypogonadism in hypophyseal female dwarf, 492*
—— hypogonadism in woman with dystrophia myotonica, 630*
—— hypogonadism with adrenal androgen deficiency; effect of chorionic gonadotropin on 17-ketosteroid excretion in, 330*
—— in Laurence-Moon-Biedl syndrome, 108*
—— menopause; *see* Climacteric
—— menstrual disorders; *see* Menstruation
—— ovarian agenesis; radioiodine values in, 1425*
—— ovarian agenesis with normal urinary gonadotropin; biopsy of rudimentary ovarian anlagen in, 610*
—— precocious puberty; *see* Puberty, precocious
—— pseudohermaphrodism; *see* Hermaphrodism
—— somatosexual disturbances in children, 24*
—— *Therapy: see* Estrogens; Gonadotropins; Progesterone
PHYSIOLOGY
—— effect of cortisone on, 1312*
—— effect of radioiodine on function of, 810†
—— fetal; role of, in development, 942*
—— normal women; pregnanediol excretion in; effect of progesterone on, 89*

OVARY (cont.)
PHYSIOLOGY (cont.)
—— ovarian hyperemia, in rat; effect of various hormones on, and comparison with gametokinetic response in male frog, 265*
—— ovarian hyperemia test for pregnancy, in rat; improvement by adding pituitary synergist, 423*
—— ovulation; relationship to pregnanediol excretion in normal woman, 89*
—— sterilization by high dosages of I^{131} in mice, 1177*
—— uptake of I^{131} in, 1007*
—— weight (rat); in tests of pituitary synergist, 423*
—— weight (rat); in tests of stability of equine gonadotropin, 432*
PREPARATIONS: *see* Estrogens; Progesterone; Steroids
OVULATION: *see* Menstruation: Ovary, physiology; Pregnancy

PAIN, abdominal and pelvic, associated with premenstrual tension; effect of vitamin A, 1579*
PANCREAS: *see also* Carbohydrate metabolism; Diabetes mellitus; Insulin
—— at necropsy, in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— effect of prolonged perfusion of, with glucose, in dog, 805†
—— fetal; role of, in development, 942*
—— hyperglycemic factor extracted from (endocrine review), 556*
—— islets of Langerhans in man visualized by phase contrast microscopy, 828†
—— uptake of I^{131} in, 1007*
PANHYPOPITUITARISM: *see* Pituitary, disorders
PANTOTHENIC ACID, in study of relation between adrenal activity and experimental hypertension, 819†
PARAPLEGIA; fertility in paraplegic males, 381*
PARATHYROIDS: *see also* Calcium metabolism; Thyroid
—— adenoma of, in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— extract; inability to respond to, in pseudohypoparathyroidism, 1609*
—— functional relationship to pituitary, in rabbits, 810†
—— hyperparathyroidism; bioassay of urinary corticoids in, 230*
—— injury to, by high dosages of I^{131}, in mice, 1177*

PARATHYROIDS (cont.)
—— pseudohypoparathyroidism with decreased glucose tolerance, 1609*
PASSANO FOUNDATION Award; recipients of, 370
PELLET IMPLANTATION: *see* Administration
PEMPHIGUS FOLIACEOUS: *see* Skin
PENIS: *see* Androgens; and Gonadotropins, effects; Hermaphrodism; Prostate; Puberty, precocious; Testis
PHEOCHROMOCYTOMA: *see* Adrenals, tumors
PHOSPHATASE: *see* under Phosphorus
PHOSPHORUS: *see also* Calcium; Parathyroids
—— and phosphatase of blood in glycogen disease, before and after menarche, 339*
—— and phosphatase of serum, in Albright's syndrome, 1499*
—— and phosphatase of serum in congenital spastic quadriplegia with androgenic precocity, 721*
—— and phosphatase of serum, in panhypopituitarism, 540*
—— balance, in hypophyseal female dwarf, 492*
—— balance studies in Cushing's syndrome and in virilism; effect of ACTH, 594*
—— metabolism in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— metabolism in the rat; effect of hypophysectomy, ACTH and growth hormone on, 803†, 804†
—— of blood in acromegaly with insulin-resistant diabetes and hyperadrenocorticism, 410*
—— of blood, in pemphigus foliaceous, 1591*
—— urinary, in pseudohypoparathyroidism; effect of parathyroid hormone on, 1609*
PIGMENT: *see also* Addison's disease
—— coproporphyrin excretion; effect of I^{131} and x-radiation on, 1029*
—— pigmentation in Albright's syndrome, 1499*
—— pigmentation in congenital spastic quadriplegia with androgenic precocity, 721*
—— pigmentation in pseudohermaphrodism with congenital adrenal hyperplasia and Addison's disease, 703*
—— pigments, in colorimetric determinations; *see* Methods
PIPERIDYLMETHYL-BENZODIOXANE (933-F); effect in hypertension and in pheochromocytoma, 1*
PITUITARY: *see also* Cushing's syndrome; Gonadotropins
DISORDERS
—— acromegaly and Cushing's syndrome; metabolic effects of ACTH in, 822†
—— acromegaly and hypopituitarism; radioiodine values in, 1425*
—— acromegaly; bioassay of urinary corticosteroids in, 230*
—— acromegaly; studies on circulating growth hormone in, 829†
—— acromegaly; the testes in, 871*
—— acromegaly; urinary 17-ketosteroids and FSH in, 230*
—— acromegaly, with hypermetabolism; radioiodine uptake in, 687*
—— acromegaly with insulin-resistant diabetes; hyperadrenocorticism in, 410*
—— Cushing's syndrome; *see* Cushing's syndrome
—— diabetes insipidus and hypopituitarism associated with Boeck's sarcoid and hypothalamic lesion, 1602*
—— diabetes insipidus; antidiuretic substances of serum in; relation to urinary corticosteroids, 318*
—— diabetes insipidus with pinealoma; testicular structure in, 871*
—— fatal adenohypophyseal tumors following high dosages of I^{131}, in mice, 1177*
—— giant, with eunuchoidism and acromegaly; effect of KI and of desiccated thyroid on SPI in, 519*
—— hypophyseal dwarfism in a female; failure of growth hormone to produce nitrogen storage in, 492*
—— hypopituitarism; bioassay of urinary corticosteroids in; FSH and 17-ketosteroids in, 230*
—— hypopituitarism; thyroid uptake of radioiodine in; use of TSH in differential diagnosis, 1054*
—— hypopituitarism; TSH as an aid in differential diagnosis, 1192*
—— hypopituitary myxedema; significance of plasma cholesterol in, 838†
—— infantilism; treatment with growth hormone, thyroid and testosterone, 817†
—— intrasellar tumor with eunuchoidism; effect of androgens, 248*
—— organic lesions in or near the pituitary; study of testicular structure and FSH and 17-ketosteroid excretion in, 121*
—— panhypopituitarism; correlation of clinical, laboratory and autopsy findings, 540*

PITUITARY (cont.)
DISORDERS
—— panhypopituitarism; effect of epinephrine on eosinophils in, 187*
—— pituitary atrophy and tumors; alterations of testicular function in, 871*
—— pituitary myxedema; function of adrenal cortex in, 1401*
—— Simmonds' disease; case observed for 9 years; necropsy, 1417*
GONADOTROPINS: *see* Gonadotropins
HORMONES: *see* Gonadotropins; and Pituitary, preparations
PHYSIOLOGY AND PATHOLOGY
—— adrenocortical-pituitary system; effect of epinephrine on eosinophils, 187*
—— atrophy of, in Simmonds' disease observed for 9 years; necropsy, 1417*
—— cell counts in atrophic pituitary gland at autopsy in panhypopituitarism, 540*
—— fetal; role of, in development, 942*
—— function of, in myxedema, 1401*
—— functional relationship to parathyroids, in rabbits, 810†
—— hypophysectomized rats; ovarian hyperemia response to chorionic gonadotropin or pituitary extract in, 423*
—— hypophysectomy; effect on phosphorus metabolism in the rat, 803†, 804†
—— interrelationships, in testicular deficiency; influence of FSH, LH and ACTH, 121*
—— testis-pituitary interrelationships, 1533*
—— the pituitary gland in Boeck's sarcoid; necropsy, 1602*
—— uptake of radioiodine in, 1007*
—— weight of, in castrated rat; effect of testosterone on, 1533*
PREPARATIONS AND COMPOUNDS
—— anterior pituitary extract as synergist for improving rat ovary hyeremia test, 423*
—— FSH; *see* Gonadotropins
—— gonadotropic hormone; *see* Gonadotropins
—— hormones, fetal; role of, in development, 942*
—— lyophilized crude anterior pituitary preparation; effect on hemopoiesis in thyroidectomized and gonadectomized rats, 836†
—— prolactin; gametokinetic response to, in male frog; comparison with rat ovarian hyperemia response, 265*

PITUITARY (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
Adrenocorticotropic hormone (*ACTH*): *see also* Adrenals, physiology
—— adactar preparations of, with prolonged activity, 836†
—— and cortisone; effect on thyroid function in health and disease, 1375*
—— and cortisone; metabolic and antiarthritic effects in diabetics, 1363*
—— as activator of early, but not final, step in corticosteroid synthesis, 827†
—— Clinical Congress on, Amsterdam, Holland; program and abstracts, 791
—— diabetes produced by, in man; end-organ versus adrenocortical response, 825†
—— effect in DOCA-treated pseudohermaphrodite with hyperplastic deficient adrenals, 703*
—— effect in pemphigus foliaceous, 1591*
—— effect of treatment with, in gouty father and hyperurecemic son, 835†
—— effect on bioassay of urinary corticosteroids, 230*
—— effect on eosinophils, 637*
—— effect on eosinophils; epinephrine in the study of, 187*
—— effect on eosinophils in panhypopituitarism, 540*
—— effect on excretion of adrenal metabolites in normal subjects, 583*
—— effect on fat metabolism in diabetics and nondiabetics, 815†
—— effect on ketolysis in diabetics and nondiabetics, 834†
—— effect on level of compound F in adrenal vein blood of dogs, 810†
—— effect on pathologic changes induced by DOCA, in the rat, 822†
—— effect on phosphorus fractions of rat liver, 804†
—— effect on serum lipids, 814†
—— effect on thyroid weight and I^{131} uptake in the rat, 1282*
—— effect on total coproporphyrin excretion, 1029*
—— fate of, when given intravenously to hypophysectomized rats, 809†
—— in 48-hour test for adrenal cortical function capacity, 834†

PITUITARY (cont.)
Adrenocorticotropic hormone (ACTH) (cont.)
—— in treatment of myasthenia gravis, 835†
—— in treatment of severe burns, 1171*
—— I^{131} tracer studies with, in rat, 809†
—— metabolic effects in Cushing's syndrome with acromegaly, 822†
—— metabolic studies with, in Cushing's syndrome and in virilism, 594*
—— modification of metabolic effects of, in rat, by diet high in KCl, 826†
—— protein and peptides of; effect in rheumatoid arthritis, 823†
—— relationship in testicular deficiency, as studied by 17-ketosteroid excretion, 121*
—— response of adrenal cortex and thyroid to, in hypothyroidism and in nephrotic syndrome, 823†
—— response of adrenal cortex to, in newly born infants, 845*
—— rheumatoid arthritis treated by; effect of testosterone on alkalosis of, 399*
—— role of, in Cushing's syndrome; effect on carbohydrate metabolism, 825†
—— stimulation of endogenous adrenal corticosteroids by, in normal people, 12*
—— test for adrenal cortical function in organic pituitary disease, 871*
GROWTH HORMONE: *see also* Growth
—— effect on hepatic catalase, red blood cells and hemoglobin, in rat, 805†
—— effect on phosphorus metabolism in rat, 803†, 804†
—— failure of, to produce nitrogen storage in hypophyseal female dwarf, 492*
—— modification of metabolic effects of, in rat, by diet high in KCl, 826†
—— pituitary infantilism treated with, 817†
—— studies on circulating growth hormone in children and in acromegaly, 829†
THYROTROPIC HORMONE (TSH): *see also* Thyroid, physiology
—— administered to woman with panhypopituitarism; I^{131} uptake before and after, 540*
PITUITARY (cont.)
THYROTROPIC HORMONE (TSH) (cont.)
—— as an aid in differential diagnosis of primary and secondary hypothyroidism, 1192*
—— effect, following inhibition of thyroid by adrenal cortical steroids, 1375*
—— effect on tracer uptake of I^{131} and on SPI, 1054*
—— effect on uptake of I^{131} in thyroidectomized thyroid cancer patients, 1084*
—— experimental production of exophthalmos with; comparison of pathologic findings with those of progressive exophthalmos, 1202*
—— role in goitrogenic action of antithyroid agents, in animals, 1485*
PLACENTA: *see* Pregnancy; Uterus
—— chorionic gonadotropin from; *see* Gonadotropins
POLYDACTYLISM: *see* Congenital anomalies
POSTERIOR PITUITARY: *see* Pituitary, disorders
POSTGRADUATE COURSES
—— in endocrinology; *see* Association for the Study of Internal Secretions, postgraduate assembly; American College of Physicians; Harvard Medical School; Medical College of Georgia; Michael Reese Hospital
POTASSIUM: *see also* Electrolytes; Blood
—— and sodium excretion in rheumatoid arthritis treated with ACTH protein, 823†
—— balance studies in Cushing's syndrome and in virilism; effect of ACTH, 594*
—— excretion; effect of cortisone and ACTH on, in arthritic diabetics, 1363*
—— high KCl diet as modifier of metabolic effects of ACTH and growth hormone, in rats, 826†
—— hypokaliemic, hypochloremic alkalosis in ACTH-treated arthritis; effect of testosterone on, 399*
—— hypokaliemic, hypochloremic alkalosis in Cushing's syndrome; treatment with KCl and testosterone, 399*
—— hypopotassemia in Cushing's syndrome with acromegaly treated with ACTH, 822†
—— metabolism in Cushing's syndrome with alkalosis and "steroid diabetes," 289*

PITUITARY (cont.)
DISORDERS
—— panhypopituitarism; effect of epinephrine on eosinophils in, 187*
—— pituitary atrophy and tumors; alterations of testicular function in, 871*
—— pituitary myxedema; function of adrenal cortex in, 1401*
—— Simmonds' disease; case observed for 9 years; necropsy, 1417*
GONADOTROPINS: *see* Gonadotropins
HORMONES: *see* Gonadotropins; and Pituitary, preparations
PHYSIOLOGY AND PATHOLOGY
—— adrenocortical-pituitary system; effect of epinephrine on eosinophils, 187*
—— atrophy of, in Simmonds' disease observed for 9 years; necropsy, 1417*
—— cell counts in atrophic pituitary gland at autopsy in panhypopituitarism, 540*
—— fetal; role of, in development, 942*
—— function of, in myxedema, 1401*
—— functional relationship to parathyroids, in rabbits, 810†
—— hypophysectomized rats; ovarian hyperemia response to chorionic gonadotropin or pituitary extract in, 423*
—— hypophysectomy; effect on phosphorus metabolism in the rat, 803†, 804†
—— interrelationships, in testicular deficiency; influence of FSH, LH and ACTH, 121*
—— testis-pituitary interrelationships, 1533*
—— the pituitary gland in Boeck's sarcoid; necropsy, 1602*
—— uptake of radioiodine in, 1007*
—— weight of, in castrated rat; effect of testosterone on, 1533*
PREPARATIONS AND COMPOUNDS
—— anterior pituitary extract as synergist for improving rat ovary hyeremia test, 423*
—— FSH; *see* Gonadotropins
—— gonadotropic hormone; *see* Gonadotropins
—— hormones, fetal; role of, in development, 942*
—— lyophilized crude anterior pituitary preparation; effect on hemopoiesis in thyroidectomized and gonadectomized rats, 836†
—— prolactin; gametokinetic response to, in male frog; comparison with rat ovarian hyperemia response, 265*

PITUITARY (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
Adrenocorticotropic hormone (*ACTH*): *see also* Adrenals, physiology
—— adactar preparations of, with prolonged activity, 836†
—— and cortisone; effect on thyroid function in health and disease, 1375*
—— and cortisone; metabolic and antiarthritic effects in diabetics, 1363*
—— as activator of early, but not final, step in corticosteroid synthesis, 827†
—— Clinical Congress on, Amsterdam, Holland; program and abstracts, 791
—— diabetes produced by, in man; end-organ versus adrenocortical response, 825†
—— effect in DOCA-treated pseudohermaphrodite with hyperplastic deficient adrenals, 703*
—— effect in pemphigus foliaceous, 1591*
—— effect of treatment with, in gouty father and hyperurecemic son, 835†
—— effect on bioassay of urinary corticosteroids, 230*
—— effect on eosinophils, 637*
—— effect on eosinophils; epinephrine in the study of, 187*
—— effect on eosinophils in panhypopituitarism, 540*
—— effect on excretion of adrenal metabolites in normal subjects, 583*
—— effect on fat metabolism in diabetics and nondiabetics, 815†
—— effect on ketolysis in diabetics and nondiabetics, 834†
—— effect on level of compound F in adrenal vein blood of dogs, 810†
—— effect on pathologic changes induced by DOCA, in the rat, 822†
—— effect on phosphorus fractions of rat liver, 804†
—— effect on serum lipids, 814†
—— effect on thyroid weight and I^{131} uptake in the rat, 1282*
—— effect on total coproporphyrin excretion, 1029*
—— fate of, when given intravenously to hypophysectomized rats, 809†
—— in 48-hour test for adrenal cortical function capacity, 834†

PITUITARY (cont.)
Adrenocorticotropic hormone (ACTH) (cont.)
—— in treatment of myasthenia gravis, 835†
—— in treatment of severe burns, 1171*
—— I^{131} tracer studies with, in rat, 809†
—— metabolic effects in Cushing's syndrome with acromegaly, 822†
—— metabolic studies with, in Cushing's syndrome and in virilism, 594*
—— modification of metabolic effects of, in rat, by diet high in KCl, 826†
—— protein and peptides of; effect in rheumatoid arthritis, 823†
—— relationship in testicular deficiency, as studied by 17-ketosteroid excretion, 121*
—— response of adrenal cortex and thyroid to, in hypothyroidism and in nephrotic syndrome, 823†
—— response of adrenal cortex to, in newly born infants, 845*
—— rheumatoid arthritis treated by; effect of testosterone on alkalosis of, 399*
—— role of, in Cushing's syndrome; effect on carbohydrate metabolism, 825†
—— stimulation of endogenous adrenal corticosteroids by, in normal people, 12*
—— test for adrenal cortical function in organic pituitary disease, 871*
GROWTH HORMONE: *see also* Growth
—— effect on hepatic catalase, red blood cells and hemoglobin, in rat, 805†
—— effect on phosphorus metabolism in rat, 803†, 804†
—— failure of, to produce nitrogen storage in hypophyseal female dwarf, 492*
—— modification of metabolic effects of, in rat, by diet high in KCl, 826†
—— pituitary infantilism treated with, 817†
—— studies on circulating growth hormone in children and in acromegaly, 829†
THYROTROPIC HORMONE (TSH): *see also* Thyroid, physiology
—— administered to woman with panhypopituitarism; I^{131} uptake before and after, 540*
PITUITARY (cont.)
THYROTROPIC HORMONE (TSH) (cont.)
—— as an aid in differential diagnosis of primary and secondary hypothyroidism, 1192*
—— effect, following inhibition of thyroid by adrenal cortical steroids, 1375*
—— effect on tracer uptake of I^{131} and on SPI, 1054*
—— effect on uptake of I^{131} in thyroidectomized thyroid cancer patients, 1084*
—— experimental production of exophthalmos with; comparison of pathologic findings with those of progressive exophthalmos, 1202*
—— role in goitrogenic action of antithyroid agents, in animals, 1485*
PLACENTA: *see* Pregnancy; Uterus
—— chorionic gonadotropin from; *see* Gonadotropins
POLYDACTYLISM: *see* Congenital anomalies
POSTERIOR PITUITARY: *see* Pituitary, disorders
POSTGRADUATE COURSES
—— in endocrinology; *see* Association for the Study of Internal Secretions, postgraduate assembly; American College of Physicians; Harvard Medical School; Medical College of Georgia; Michael Reese Hospital
POTASSIUM: *see also* Electrolytes; Blood
—— and sodium excretion in rheumatoid arthritis treated with ACTH protein, 823†
—— balance studies in Cushing's syndrome and in virilism; effect of ACTH, 594*
—— excretion; effect of cortisone and ACTH on, in arthritic diabetics, 1363*
—— high KCl diet as modifier of metabolic effects of ACTH and growth hormone, in rats, 826†
—— hypokaliemic, hypochloremic alkalosis in ACTH-treated arthritis; effect of testosterone on, 399*
—— hypokaliemic, hypochloremic alkalosis in Cushing's syndrome; treatment with KCl and testosterone, 399*
—— hypopotassemia in Cushing's syndrome with acromegaly treated with ACTH, 822†
—— metabolism in Cushing's syndrome with alkalosis and "steroid diabetes," 289*

POTASSIUM (cont.)
—— metabolism in panhypopituitarism, 540*
—— metabolism in pseudohermaphrodism with congenital adrenal hyperplasia and Addison's disease, 703*
—— of blood, in adrenal cortical virilism, before and after operation; relationship to menstrual cycle, 270*
—— of blood, in pemphigus foliaceus, 1591*
—— of serum, in Albright's syndrome, 1499*
—— of serum, in congenital spastic quadriplegia with androgenic precocity, 721*
—— of serum, in myxedema; effect of thyroid therapy, 1401*
—— urinary; effect of ACTH on, in normal subjects during humid heat, 12*
PRECOCIOUS PUBERTY: *see* Puberty, precocious
PREGNANCY: *see also* Breast; Estrogens; Fetus; Gonadotropins: Menstruation; Ovary; Pregnanediol; Progesterone; Sterility; Uterus
—— blood iodine in, 735*
—— postpartum fate of chorionic gonadotropin, 371*
—— pseudopregnancy produced in rat by estrogens; quantitative studies, 830†
—— use of progesterone therapy in, 641*
COMPLICATIONS AND SEQUELAE
—— abortion and other complications; wheat germ oil concentrate orally, as aid in reduction of, 832†
—— abortion; pregnancy test with Palestinian male frog, unreliable in, 933*
—— abortion; vaginal smear as diagnostic and prognostic aid in, 675*
—— hypertension; benzodioxane test in, 1*
—— postpartum bleeding due to endometrial hyperplasia, in diabetics treated with stilbestrol and progesterone, 603*
—— toxemia of; onset of Simmonds' disease, 1417*
DIAGNOSIS (TESTS)
—— gametokinetic response in male frog; comparison with rat ovarian hyperemia test, 265*
—— improvement of rat ovarian hyperemia test for, by adding pituitary synergist, 423*
—— pregnanediol; *see also* Pregnanediol
—— pregnanediol in urine; improved method for quantitative determination of, 101*
PREGNANCY (cont.)
DIAGNOSIS (TESTS) (cont.)
—— quantitative determination of pregnanediol in; influence of method upon results, 496*
—— test for, with male Palestinian frog, 933*
PREGNANEDIOL: *see also* Estrogens; Progesterone; Pregnancy
—— excretion in healthy women given single dose of estrone, 806†
—— excretion; relation to progesterone, 641*
—— improved procedure for quantitative estimation of, in urine, 101*
—— in glycogen disease, before and after menarche, 339*
—— in normal male; effect of progesterone on, 89*
—— quantitative determination of, in pregnant and nonpregnant women and in males; influence of method upon results, 496*
—— rate of excretion in pregnancy, 101*
—— urinary, in normal women; relationship to basal body temperature, 89*
PREGNENOLONE: *see also* Progesterone
—— acetoxypregnenolone; clinical effect of, 843†
—— adjuvant use of, in seminal inadequacy, 840†
—— an endocrine review; effect in rheumatoid arthritis, 455*
—— effect of rheumatoid and gouty arthritis, lupus erythematosus, and malignant exophthalmos, 841†
—— effect of nitrogen and electrolyte balance, 841†
—— effect on sperm count in gametogenic failure with high FSH, 1533*
—— effect on thyroid weight and radioiodine uptake in the rat, 1282*
—— oral medication with, in rheumatoid arthritis, 1523*
—— Δ^5-pregnenolone orally, in rheumatoid arthritis, 824†
PREMENSTRUAL TENSION: *see* Menstruation
PRESIDENTIAL ADDRESS: *see* American Goiter Association
PROGESTERONE: *see also* Estrogens; Menstruation; Pregnancy; Pregnanediol; Pregnenolone; Steroids
—— and estrone precipitates; induction of cyclic changes in vagina but not in uterus, by single injection of, in amenorrhea, 615*
—— comparison with testosterone in effect on endometrium, 348*

PROGESTERONE (cont.)
—— effect of cholesterol on absorption of, from implants, in guinea pig, 1511*
—— effect on basal temperature and relation to artificial menstruation in aged female, 511*
—— effect on basal temperature in pituitary amenorrhea, 842†
—— effect on thyroid weight and I^{131} uptake in the rat, 1282*
—— in treatment of prostatic cancer, 808†
—— intramuscularly; effect on pregnanediol excretion in normal males and females and in amenorrhea, 89*
—— oral; physiologic effectiveness of, in human subjects, 886*
—— physiologic basis for clinical applications (endocrine review), 641*
—— pregnanediol; *see* Pregnanediol
—— pregnenolone; *see* Pregnenolone
—— therapy in diabetes; postpartum bleeding due to endometrial hyperplasia following, 603*
—— versus wheat germ oil; effect on sex organs of hypophysectomized rats 807†
PROGRAMS: *see* Association for the Study of Internal Secretions; American College of Physicians; American Goiter Association; American Diabetes Association; Clinical Conference on ACTH, Amsterdam, Holland; Laurentian Hormone Conference
PROLACTIN: *see* Breast; Pituitary preparations; Gonadotropins
PROPYLTHIOURACIL: *see* THIOURACIL
PROSTATE and SEMINAL VESICLES: *see also* Androgens; Gonadotropins; Testis
—— cancer of; treatment with progesterone, 808†
—— corpora amylacea of; collection of I^{131} in, shown radioautographically, 1007*
—— semen examination in gametogenic failure with high urinary FSH, 1533*
—— size; correlation with number and quality of testicular Leydig cells, in organic disease of the pituitary, 871*
—— weight of, in castrated rat; effect of testosterone on, 1533*
PROTEIN: *see also* Blood; Creatinine; Muscle; Nitrogen; Uric acid
—— bound iodine of blood; *see* Blood iodine; Iodine
—— hypoalbuminemia in Boeck's sarcoid, 1602*
—— hypoproteinemia following spinal cord injury, 858*
PROTEIN (cont.)
—— of blood, in acromegaly with insulin-resistant diabetes and hyperadrenocorticism, 410*
—— of blood, in glycogen disease, before and after menarche, 339*
—— *of serum;* binding of iodide and relation of thyroxine to, 519* 532*
— in congenital spastic quadriplegia with androgenic precocity, 721*
— in goitrous cretins, 1471*
— in panhypopituitarism, 540*
— influence of bilateral prefrontal lobotomy on, in psychiatric patients, 716*
PSEUDOHERMAPHRODISM: *see* Hermaphrodism
PSEUDOHYPOPARATHYROIDISM: *see also* Parathyroids
—— with decreased glucose tolerance, 1609*
PSYCHOSES: *see also* Brain; Mental; Nervous system
—— blood iodine in, 735* 1237*
—— in Simmonds' disease, 1417*
—— influence of bilateral prefrontal lobotomy on thyroid activity in, 716*
—— psychologic stress; urinary corticosteroid values in, 1559*
PUBERTY: *see also* Adrenals; Growth; Ovary; Testis
—— androgenic precocity and congenital spastic quadriplegia, 721*
—— idiopathic; growth and maturation in a case of, 839†
—— in Albright's syndrome observed in 2 Brazilian female children, 1499*
—— pseudo, in 5-year-old girl; remission following removal of adrenal cortical carcinoma, 270*
—— somatosexual disorders in children, 24*
PUBLICATIONS COMMITTEE: *see* Association for the Study of Internal Secretions, Officers and Committees

QUADRIPLEGIA, congenital, spastic; associated with androgenic precocity, 721*

RADIOACTIVE
—— agents; testicular structure in men with history of exposure to, 121*
—— iodine; *see* Iodine, radioactive; and Blood, iodine
—— S^{35}-labelled cystine, in study of adrenal physiology, 820†
RADIOAUTOGRAPHY: *see* Iodine, radioactive

RADIOIODINE: *see* Iodine, radioactive; and Blood, iodine
REACTIONS
—— chemical; *see* Methods; Tests
—— to drugs; *see* Toxicity; Allergy; Iodine; Thiouracil; and under various glandular preparations
RECIPIENTS, of awards and fellowships; *see* Association for the Study of Internal Secretions, awards; American Goiter Association; Passano Foundation
RENAL: *see* Kidney
REPRODUCTION: *see also* Menstruation; Ovary; Pregnancy; Sterility; Testis
—— in domestic animals; role of endocrines in, 1142*
RESEARCH
—— fellowships; *see* Awards
—— role of, in development of modern treatment of exophthalmic goiter, 989*
REVIEWS
—— book, 112
—— endocrine, 455*, 556*, 641*, 735*, 942*, 1312*
RHEUMATISM: *see* Arthritis
RHEUMATOID ARTHRITIS: *see* Arthritis
ROENTGEN RAYS
—— in treatment of thyroid cancer, 1099*, 1152*; *see also* Thyroid disorders
—— effect on testes, 121*, 1533*; *see also* Sterility; Testis
—— previous irradiation of thymus in children with thyroid cancer, 1296*
—— radiographs and aerograms of adrenals in diagnosis of somatosexual disorders, 24*
—— therapy to pituitary, in acromegaly with insulin-resistant diabetes and hyperadrenocorticism, 410*
—— X-radiation; effect on total coproporphyrin excretion, 1029*

SALT: *see* Chloride; Sodium

SCHERING FELLOWSHIP: *see* Association for the Study of Internal Secretions, awards
SEMEN: *see* Prostate; and Testis, spermatozoa
SEMINAL VESICLES: *see* Prostate; Testis
SEX: *see also* Breast; Climacteric; Hermaphrodism; Menstruation; Ovary; Pregnancy; Prostate; Testis; Uterus
—— and age; relation to progressive exophthalmos, 1202*
—— effect on "total corticosteroid" excretion of normal adults, 1559*
SEX (cont.)
—— of children; relation to thyroid cancer in, 1296*
—— precocity; *see* Adrenals, disorders; Puberty, precocious
—— role of fetal endocrine glands in development, 942*
—— somatosexual disturbances in children, 24*
SIMMONDS' DISEASE: *see* Pituitary disorders
SKIN: *see also* Pigment; and under various endocrine disorders
—— acne following estrogen-androgen therapy of menopause, 1547*
—— acne, juvenile; treatment with topical estrogens, 842†
—— burns; treatment of, with ACTH, 1171*
—— lupus erythematosus disseminatus; effect of cortisone in, 1312*
—— lupus erythematosus; effect of pregnenolone in, 841†
—— pemphigus foliaceus; effect of ACTH in, 1591*
—— pigmentation of; *see* Pigment; Addison's disease
—— senile, human; effect of steroid hormones applied directly to, 831†
SMEARS
—— blood; *see* Blood, cells
—— urinary, in premenstrual tension, 1579*
—— vaginal: *see* Vagina; Climacteric; Menstruation
SODIUM: *see also* Chloride; Electrolytes; and under various endocrine glands
—— and chloride metabolism, in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— and chloride of blood, in adrenal cortical virilism before and after operation, 270*
—— and chloride of serum, in congenital spastic quadriplegia with androgenic precocity, 721*
—— and chloride of serum, in myxedema; effect of thyroid therapy, 1401*
—— balance studies, in Cushing's syndrome and in virilism; effect of ACTH, 594*
—— excretion; effect of cortisone and ACTH on, in arthritic diabetics, 1363*
—— metabolism in panhypopituitarism, 540*
—— metabolism in pseudohermaphrodism with congenital adrenal hyperplasia and Addison's disease, 703*

SODIUM (cont.)
—— of blood, in pemphigus foliaceus, 1591*
—— of plasma, in Boeck's sarcoid, 1602*
—— of serum, in Albright's syndrome, 1499*
—— of serum, in pseudohypoparathyroidism, 1609*
SPECIAL ARTICLE (cancer of the thyroid), 1152*
SPERMATOZOA: *see* Testis, spermatozoa; Prostate
SPONDYLARTHRITIS: *see* Arthritis
SPRUE
—— adrenal function in, 939*
—— nontropical; radioiodine values in, 1425*
SQUIBB AWARD: *see* Association for the Study of Internal Secretions, awards
STERILITY: *see also* Menstruation; Ovary; Pregnancy; Testis
—— fertility in paraplegic males, 381*
—— following high dosages of I^{131}, in mice, 1177*
—— functional infertility; thyroid substance versus thyroxine in treatment of, 837†
—— gametogenic failure with high urinary FSH; structure of testes in; effect of medication, 1533*
—— gonads in Laurence-Moon-Biedl syndrome, 108*
—— metabolic consequences of spinal cord injury, 858*
—— quantitative determination of pregnanediol in, 496*
—— seminal inadequacy; adjuvant use of pregnenolone in, 840†
—— study of testicular deficiency, 121*
—— testicular biopsy material in; glycogen of, studies histochemically, 1465*
—— testicular structure and function in pituitary disease, 871*
STEROIDS
—— a steroid which promotes tissue but not genital growth, 807†
—— absorption of, from implants; effect of cholesterol on, in guinea pig, 1511*
—— action of, on cerebral metabolism, 806†
—— adrenal; *see also* Adrenals, preparations and compounds
—— androgens; *see also* Androgens
—— corticosteroids, corticoids, cortin; *see also* Adrenals, preparations and compounds
—— cortisone; *see* Adrenals, preparations, cortisone
—— dehydroisoandrosterone and closely related steroids; color test for, 54*
STEROIDS (cont.)
—— determination of; *see also* Methods
—— estrogens; *see also* Estrogens
—— in treatment of rheumatoid arthritis, 455*, 1523*, 824†, 841†, 843†
—— 11-oxygenated; excretion in Cushing's syndrome and in virilism, before and after ACTH, 594*
—— poorly soluble in water; method permitting analysis of, 1559*
—— pregnenolone; *see* Pregnenolone
—— progesterone; *see* Progesterone
—— "steroid diabetes" with alkalosis in Cushing's syndrome; relationship of compound F, 289*
—— urinary; simple method for analyzing complicated absorption curves, 71*
17-KETOSTEROIDS (URINARY)
—— and 11-oxysteroids, in goitrous cretins, 1471*
—— and 11-oxysteroids in insulin-resistant diabetic treated with DOCA, 1517*
—— before and after large doses of ACTH, in normal subjects, 583*
—— before and after removal of pheochromocytoma, 897*
—— determined chemically versus androgens determined biologically, in normal males, in hypogonadism, gynecomastia and hepatic disease, 692*
—— effect of ACTH on, in normal subjects during humid heat, 12*
—— effect of chorionic gonadotropin on, in female with pituitary hypogonadism and adrenal androgen deficiency, 330*
—— effect of epinephrine on, in normal subjects, 187*
—— excretion in adrenal disorders, 54*
—— excretion in myxedema; effect of thyroid therapy on, 1401*
—— in acromegaly with insulin-resistant diabetes and hyperadrenocorticism, 410*
—— in Addison's disease, Cushing's syndrome, acromegaly, hypopituitarism, and adrenogenital syndrome, 230*
—— in Albright's syndrome, 1499*
—— in bronchial asthma, 1570*
—— in congenital spastic quadriplegia with androgenic precocity, 721*
—— in Cushing's syndrome and in virilism; effect of ACTH, 594*
—— in Cushing's syndrome with alkalosis and "steroid diabetes," 289*
—— in dystrophia myotonica associated with Klinefelter's syndrome, 630*

STEROIDS (cont.)
17-KETOSTEROIDS (URINARY) (cont.)
—— in gametogenic failure with high urinary FSH, 1533*
—— in glycogen disease, before and after menarche, 339*
—— in hypophyseal female dwarf, 492*
—— in idiopathic lactation following thoracoplasty, 729*
—— in Laurence-Moon-Biedl syndrome, 108*
—— in newly born infants; effect of ACTH on, 845*
—— in organic pituitary disease, 871*
—— in ovarian agenesis with normal urinary gonadotropin, 610*
—— in panhypopituitarism, 540*
—— in paraplegic males, 381*
—— in pemphigus foliaceus; effect of ACTH on, 1591*
—— in pseudohermaphrodism with adrenal hyperplasia and Addison's disease, 703*
—— in somatosexual disorders of children; role of adrenal cortex, 24*
—— in spinal cord injury, 858*
—— in study of normal adrenal function, 1559*
—— in testicular deficiency, 121*
—— in various types of male hypogonadism, 248*
—— relation to menopausal symptoms; effect of implanted estradiol pellets, 447*
—— response of, to ACTH in various states, 1375*
—— simple method for determination of, 841†
STILBESTROL: *see* Estrogens
STRESS
—— effect of cortisone on ability to withstand, 1312*
—— effect of spinal cord trauma on body protein, 858*
—— effect on urinary corticosteroid values in children, 479*
—— exercise; effect on blood iodine, 735*
—— formalin; effect on thyroid weight and I^{131} uptake in the rat, 1282*
—— psychologic; urinary corticosteroid values in, 1559*
—— reaction to hypoxia; effect of adrenal transplantation on, 820†
—— response of eosinophils to, studied by effect of epinephrine, 187*
—— surgical; *see* Surgery; and under various endocrine disorders
—— trauma of various types; level of eosinophils following, 637*
SUBJECT INDEX to Volume 10 (1950), 1637
SUGAR: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin; Pancreas
SULPHUR: *see also* Proteins; Thiouracil
—— glutathione and uric acid content of blood in diabetes mellitus, 313*
—— mercaptoimidazoles; clinical application to hyperthyroidism, 813†
—— S^{35}-labelled cystine in the study of adrenal physiology, 820†
SUPRARENALS: *see* Adrenals
SURGERY
—— for adrenal carcinoma, in 5-year-old girl, 270*
—— for adrenal tumors; *see* also Adrenals, disorders
—— for thyroid cancer, 1152*
—— for thyroid cancer in children, 1296*
—— indications for neck dissection in thyroid carcinoma, 1099*
—— mortality, in adrenal cortical tumors producing Cushing's syndrome, 839†
—— new intralaryngeal approach for arytenoidectomy in treatment of bilateral abductor vocal cord paralysis, 1118*
—— of pheochromocytoma, 897*
—— of thyroglossal tract lesions, 1108*
—— orbital decompression in the treatment of progressive exophthalmos, 1231*
—— prefrontal lobotomy and thyroid activity in psychiatric patients, 716*
—— surgical problems of nontoxic goiter, 1092*
—— thoracoplasty; idiopathic lactation following, 729*
—— thyroidectomy; *see also* Thyroid disorders; physiology
—— total bilateral adrenalectomy in case of congenital adrenal hyperplasia with pseudohermaphrodism and Addison's disease, 703*
—— total thyroidectomy in thyroid cancer metastases treated with I^{131}, 1084*
SWEAT; sodium and chloride of, as indicators of endogenous "salt-active" corticoids; effect of ACTH; use of sweat test in diagnosis, 12*
SYNDROME
—— adrenogenital; *see* Adrenals, disorders
—— Albright's; 2 cases observed in Brazil, 1499*
—— Cushing's: *see* Cushing's syndrome
—— Fröhlich's; *see* associated with Ovary; Testis; and Pituitary; disorders
—— Klinefelter's; associated with dystrophica myotonica; necropsy, 630*
—— Laurence-Moon-Biedl; gonads in, 108*
—— menopausal; *see* Climacteric

SYNDROME (cont.)
—— nephrotic; *see* Kidney
—— ovarian agenesis with normal urinary gonadotropin, 610*
—— resembling glycogen disease; effect of menarche on hepatomegaly in, 339*
—— Turner's; *see* Turner's syndrome

TEETH, in pseudohypoparathyroidism, 1609*
TEMPERATURE
—— basal; after oral progesterone, 886*
—— basal; effect of estrogens and progesterone on, in pituitary amenorrhea, 842†
—— basal, in the aged female; influence of estrogen, progesterone and androgen, 511*
—— basal; relationship to urinary pregnanediol during normal menstrual cycle, 89*
—— hyperthermia-hypothermia associated with hypothalamic lesion caused by Boeck's sarcoid, 1602*
—— sweating tests in paraplegic males, 381*
—— thermal sweat; sodium and chloride of, as indicators of endogenous "salt-active" corticoids; effect of ACTH, 12*
TESTIS: *see also* Androgens; Gonadotropins; Hermaphrodism; Prostate; Sterility
—— effect of cortisone on, 1312*
—— effect of estrogens on, 121*
—— effect of testosterone, adrenal compounds and thyroid on histologic pattern, in rat, 818†
—— effect of testosterone on (biopsy study), in normal men, 816†
—— fetal; role of, in development, 942*
—— glycogen of, in human biopsy material, studied histochemically, 1465*
—— males; quantitative determination of pregnanediol in, 496*
—— normal male urine; cortin-like substances in; comparison of chemical and biologic assays, 84*
—— normal males; effect of progesterone on pregnanediol excretion in, 89*
—— second, or "X" hormone of, 121*
—— source of second testicular hormone, 1533*
—— uptake of radioiodine in, 1007*
DISORDERS (includes Eunuchism, Eunuchoidism, Fröhlich's syndrome; *see also* Pituitary disorders)
—— alterations in function and structure, in pituitary disease, 871*
—— atrophy following spinal cord injury, 858*
TESTIS (cont.)
DISORDERS (cont.)
—— chorionic epithelioma and gynecomastia; androgen and 17-ketosteroids in, 692*
—— gametogenic failure with high urinary FSH; structure of testis in, 1533*
—— hypogonadism; androgen determined biologically versus 17-ketosteroids determined chemically in, 692*
—— hypogonadism; efficacy of buccal and sublingual testosterone compounds in, 248*
—— hypogonadism in eunuchoid giant with acromegaly; effect of KI and of desiccated thyroid on SPI in, 519*
—— hypogonadism, slight; associated with Boeck's sarcoid, 1602*
—— in Laurence-Moon-Biedl syndrome, 108*
—— in organic lesions at or near the pituitary, 121*
—— precocious puberty; *see* Puberty, precocious
—— pseudohermaphrodism; *see* Hermaphrodism
—— sex function in paraplegic males; relation to autonomic nervous system, 381*
—— somatosexual disturbances in children, 24*
—— structure in Klinefelter's syndrome associated with dystrophia myotonica, 630*
—— testicular deficiency; clinical and pathologic study, 121*
PREPARATIONS AND COMPOUNDS: *see* Androgens; Steroids
SPERMATOZOA: *see also* Sterility; Prostate
—— aspermatogenesis and small testis of Klinefelter's syndrome, associated with dystrophia myotonica, 630*
—— azoospermia; histochemical study of glycogen in human testicular biopsy material, 1465*
—— effect of pregnenolone on, 455*
—— gametokinetic response in male frog; effect of various hormones on, and comparison with rat ovarian hyperemia test, 265*
—— in boys treated with testosterone, 815†
—— in gametogenic failure with high urinary FSH; effect of therapy, 1533*
—— in Laurence-Moon-Biedl syndrome, 108*

TESTIS (cont.)
SPERMATOZOA (cont.)
—— in paraplegic males, 381*
—— of frog; response to pregnancy urine, 933*
—— seminal inadequacy; adjuvant use of pregnenolone in treatment of, 840†
—— study of, in testicular deficiency, 121*
TESTS: *see also* Blood; Methods; Pregnancy, diagnosis; and under specific substances and diseases.
—— color test for dehydroisoandrosterone; use in diagnosis of adrenocortical tumors, 54*
—— for abortion; vaginal smear as diagnostic and prognostic aid, 675*
—— for pituitary-adrenocortical integrity, 187*
—— for gonadotropins; comparison of gametokinesis in male frog and ovarian hyperemia in the rat, 265*
—— for pregnancy; *see also* Pregnancy, diagnosis
—— for threatened abortion; *see also* Pregnancy, diagnosis
—— improvement in rat ovarian hyperemia test for pregnancy, by adding pituitary synergist, 423*
—— insulin tolerance test; *see* Insulin
—— of stability of equine gonadotropin in crude and in purified form, 432*
—— Palestinian male frog used for pregnancy test, 933*
—— pregnanediol precipitation; *see* Pregnanediol; Pregnancy, diagnosis
—— sugar tolerance test; *see* Carbohydrate metabolism
—— sweat test in diagnosis of adrenocortical disease, 12*
TESTOSTERONE and compounds: *see* Androgens; Steroids
TETANY: *see* Calcium; Parathyroids; Thyroid
THIOCYANATE
—— effect of, on radioiodine accumulation, 1425*
—— effect on I^{131} accumulation in goitrous cretins and in normal sibling, 1471*
THIOURACIL and related compounds: *see also* Antithyroid drugs; Iodine; Thyroid
—— and thiourea derivatives; neurotoxicity due to, 623*
—— compounds; effect in domestic animals, 1142*
—— in modern treatment of exophthalmic goiter; role of research in development, 989*
THIOURACIL (cont.)
—— iodinated derivatives versus thiouracil and KI; interpretation of properties of, in animals; effect of TSH, 1485*
—— propyl- and cyclopropylthiouracil; neurotoxicity from, 623*
—— propyl- and methylthiouracil; comparison with mercaptoimidazoles in hyperthyroidism, 813†
—— propylthiouracil; effect of, on radioiodine accumulation, 1425*
—— thiocyanate; *see* Thiocyanate
—— thiourea; *see* Thiourea
THIOUREA, and iodine in the treatment of hyperthyroidism; behavior of SPI, 1251*
THORACOPLASTY; idiopathic lactation following, 729*
THYMUS: *see also* Lymphoid tissue
—— adenoma of, in Cushing's syndrome with alkalosis and "steroid diabetes." 289*
—— previous irradiation of, in children with thyroid cancer, 1296*
—— relation to adrenal cortex, 819†
THYROGLOSSAL TRACT lesions, 1108*
THYROID: *see also* Antithyroid drugs; Eyes; Iodine; Thiouracil
DISORDERS
—— blood iodine in differential diagnosis of, 735*
—— changes in size of gland following radioiodine treatment of hyperthyroidism with nodular goiter, 1077*
—— goiter in a family of cretins; clinical, radioiodine and other laboratory studies, 1471*
—— goiter in domestic animals, 1142*
—— goiter, large, intrathoracic; distribution of I^{131} in body tissues; necropsy, 1007*
—— goitrogenic properties of certain antithyroid agents; interpretation of, in animals, 1485*
—— nontoxic goiter; some surgical problems, 1092*
—— nontoxic goiter; uptake of radioiodine in, 812†
—— nontoxic thyroid disease; blood PBI in, 1237*
—— radioiodine accumulating function of, as diagnostic test in clinical medicine, 1425*
—— simple goiter in Colombia, 1309*
—— thyroglossal tract lesions, 1108*
—— thyroiditis, chronic; uptake of radioiodine in, 910*
—— thyroiditis following radioiodine therapy of euthyroid cardiac patients, 1270*

THYROID (cont.)
DISORDERS (cont.)
—— uptake of I^{131} measured directly over the gland; use of TSH in differential diagnosis, 1054*
—— vocal cord paralysis, bilateral abductor, following thyroidectomy; new intralaryngeal approach for arytenoidectomy in treatment of, 1118*
Cancer-Carcinoma
—— cancer; diagnosis, incidence and treatment, 1152*
—— cancer; distribution of I^{131} in body tissues; 6 necropsies, 1007*
—— cancer; effect of I^{131} on coproporphyrin excretion in, 1029*
—— cancer, metastatic; evaluation of I^{131} therapy in, 1084*
—— cancer; surgical problems in, 1092*
—— carcinoma and thyroiditis; blood iodine in, 735*
—— carcinoma; indications for neck dissection in, 1099*
—— malignancy, thyroiditis and nontoxic goiter; evaluation of radioiodine as diagnostic aid in, 1425*
—— radioiodine uptake in thyroid cancer of children, 1296*
—— study of, with radioiodine; *see also* Iodine, radioactive
—— total thyroidectomy in radioiodine treatment of metastatic thyroid cancer, 1084*
—— treatment; *see also* Iodine, radioactive; Roentgen rays
Hyperthyroidism (exophthalmic goiter. Graves' disease, thyrotoxicosis, toxic adenoma)
—— analysis of medical treatment with thiourea and iodine; behavior of SPI, 1251*
—— blood iodine in effect of treatment, 735*
—— blood PBI as a routine procedure in, 1237*
—— bone marrow activity in, 812†
—— clinical application of mercaptoimidazoles to; comparison with thiouracils, 813†
—— effects of ACTH and cortisone on thyroid function in, 1375*
—— effect of radioiodine on coproporphyrin excretion in, 1029*
—— evaluation of radioiodine as diagnostic aid in, 1425*
—— evaluation of treatment with radioiodine, 1022*
—— exophthalmos; *see also* Eyes

THYROID (cont.)
DISORDERS (cont.)
Hyperthyroidism (cont.)
—— exophthalmos, progressive; pathologic physiology of, 1202*
—— exophthalmos, progressive; surgical treatment of, 1231*
—— iodine compounds of blood and urine in, studies by radioiodine, 996*
—— modern treatment of exophthalmic goiter; role of research in development of, 989*
—— plasma cholesterol and basal metabolism in study of, 1126*
—— radioiodine uptake in, contrasted with that of hypermetabolism of acromegaly, 687*
—— treated with iodinated thiouracil, 1485*
—— treated with radioiodine; *see also* Iodine, radioactive
—— treated with thiouracil and compounds; *see also* Thiouracil
—— thyroid-stimulating, or thyrotropic hormone (TSH) in; *see also* Pituitary, preparations and compounds
—— uptake of radioiodine in, 812†, 910*
—— with nodular goiter; radioiodine in treatment of, 1077*
—— with unusual neurologic symptoms, 837†
Hypothyroidism (cretinism, myxedema)
—— adrenal cortical response to 48-hour ACTH test in, 834†
—— bioassay of urinary corticosteroids in, 230*
—— blood iodine in; effect of treatment, 735*
—— blood PBI as a routine procedure in, 1237*
—— bone marrow activity in, 812†
—— changes in prominence of eyes in, following thyroidectomy and thyroid therapy, 1202*
—— differential diagnosis; TSH as an aid in, 1192*
—— effect of ACTH and cortisone on thyroid function in, 1375*
—— effect of antithyroid drugs; *see* Antithyroid drugs; Thiouracil
—— effect of KI on serum iodine fractions in, 519*
—— evaluation of radioiodine as a diagnostic aid in, 1425*
—— following treatment of hyperthyroidism with radioiodine, 1022*

THYROID (cont.)
DISORDERS (cont.)
Hypothyroidism (cont.)
—— goitrous cretins, a family of; clinical, radioiodine and other laboratory studies in, 1471*
—— hypopituitary myxedema; significance of plasma cholesterol in, 838†
—— hypothyroid and normal children; uptake and urinary excretion of radioiodine in, 811†
—— in domestic animals, 1142*
—— iodine compounds of blood and urine in, studied by radioiodine, 996*
—— myxedema; measurement of function of adrenal cortex and pituitary in, by various tests, 1401*
—— plasma cholesterol and basal metabolism in study of, 1126*
—— produced in the treatment of euthyroid cardiac patients with radioiodine, 1270*
—— response of adrenal cortex and thyroid to ACTH and cortisone in, 823†
—— therapy with thyroid compounds; *see* Thyroid, preparations and compounds
—— treated with thiourea and iodine; behavior of SPI, 1251*
—— uptake of radioiodine, and SPI in; use of TSH in differential diagnosis, 1054*
—— uptake of radioiodine in, 910*
—— urine/serum in, after epinephrine; gametokinetic response of male frog to, 265*
PHYSIOLOGY AND PATHOLOGY
—— at autopsy, in panhypopituitarism, 540*
—— atrophy of, in Simmonds' disease observed for 9 years; necropsy, 1417*
—— clinicopathologic studies; *see also* Thyroid, disorders
—— failure of functional and regenerative properties of, in thyroids surviving less than lethal doses of radioiodine, in mice, 1177*
—— fetal; role of, in development, 942*
—— function; natural and experimental alteration in, in domestic animals, 1142*
—— function; studies of, by simple method for measuring urinary radioactive iodine, 437*
—— function; studies of; *see also* Iodine, radioactive

THYROID (cont.)
PHYSIOLOGY AND PATHOLOGY (cont.)
—— histologic pattern of, in evaluation of "antithyroid" agents in animals, 1485*
—— histology and chemical analysis of for iodine, in goitrous cretins, 1471*
—— hormone; *see also* Thyroid, preparations and compounds
—— inhibited by adrenal steroid; effect of TSH on, 1375*
—— radioautography in the study of; *see* Iodine, radioactive
—— radioiodine uptake of, in acromegaly with hypermetabolism, 687*
—— radioiodine uptake of, in panhypopituitarism, before and after TSH, 540*
—— response of to TSH, as aid in differential diagnosis of hypothyroidism, 1192*
—— thyroid activity in psychoses; influence of bilateral prefrontal lobotomy on, 716*
—— thyroid function; effect of ACTH and cortisone on, 1375*
—— thyroidectomized rats; myeloid response to crude anterior pituitary preparations in, 836†
—— thyrotropic hormone (thyroid-stimulating hormone, TSH); *see* Pituitary, preparations
—— uptake of radioiodine and estimated thyroid radiation in euthyroid cardiac patients treated with radioiodine, 1270*
—— uptake of radioiodine; new method for quantitative measurement of, 910*
—— weight and uptake of radioiodine; effects of adrenal and gonadal products on, in the rat, 1282*
PREPARATIONS AND COMPOUNDS
—— desiccated thyroid; effect of, on radioiodine accumulation, 1425*
—— thyroid hormone and tissue cholesterol distribution, 813†
—— thyroid substance in the treatment of behavior disturbances associated with menses, 838†
—— thyroid substance in the treatment of pituitary infantilism, 817†
—— thyroid therapy; effect on electrolytes, PBI, 17-KS, 11-OCS and gonadotropins, in myxedema, 1401*
—— thyroprotein; induction of hyperthyroidism with, in domestic animals, 1142*
—— thyroxine and thyroid substance; effect on testicular structure in the rat, 818†

THYROID (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
—— thyroxine fraction; relation to serum iodine alterations following various doses of inorganic iodide, 519*, 532*
—— thyroxine-like fractions of blood and urine in thyroid disease, 996*
—— thyroxine; similar activity of acrylic acid analogues of, 813†
—— thyroxine versus thyroid substance in the treatment of functional infertility, 837†
THYROIDECTOMY: *see* Thyroid
THYROIDITIS: *see* Thyroid disorders
THYROID-STIMULATING HORMONE (TSH): *see* Pituitary, preparations, TSH
THYROTOXICOSIS: *see* Thyroid disorders, hyperthyroidism
THYROTROPIC HORMONE (TSH): *see* Pituitary, preparations, TSH
THYROXINE: *see* Thyroid, preparations and compounds
TISSUES: *see also* under various organs
—— human; distribution of I^{131} in; 9 necropsies, 1007*
TOXIC ADENOMA; TOXIC GOITER: *see* Thyroid disorders, hyperthyroidism
TOXICITY: *see also* Allergy
—— leukopenia in patient treated with radioiodine for thyroid cancer, 1084*
—— neurotoxicity due to thiouracil and thiourea derivatives, 623*
—— of oral steroids used in treatment of menopause, 1547*
—— of pregnenolone, 455*
—— of radioiodine in high dosage, in mice, 1177*; *see also* Iodine, radioactive
TRAUMA: *see also* Stress
—— effect on circulating eosinophils, 637*
—— surgical; *see* Surgery
TSH: *see* Pituitary, preparations, TSH
TUBERCULOSIS
—— advanced; idiopathic lactation following thoracoplasty for, 729*
—— Boeck's sarcoid; hypothalamic lesion caused by; necropsy, 1602*
—— lupus erythematosus; effect of cortisone in, 1312*
—— lupus erythematosus; effect of pregnenolone in, 841†
TUMORS: *see also* Cancer; and under organ or form of treatment involved
—— adrenal; *see* Adrenals, disorders; and Cushing's syndrome
—— Boeck's sarcoid; hypothalamic lesion caused by; necropsy, 1602*
—— chromophobe adenoma; *see* Pituitary disorders
TUMORS (cont.)
—— function of, studies by radioiodine; *see* Iodine, radioactive
—— goiter; *see* Thyroid
—— histopathology; study of; *see* Iodine, radioactive; and under various endocrine disorders
—— lymphosarcoma; *see* Lymphosarcoma
—— neuroblastoma; effect of benzodioxane in; epinephrine and norepinephrine content of tumor and metastases, 1*
—— pheochromocytoma; *see* Adrenals, disorders, tumors
—— virilizing; *see* Adrenals; Cushing's syndrome; Hermaphrodism; Ovary; Testis; Puberty, precocious; Virilism
THERAPY
—— with hormones; *see* Androgens; Estrogens; Progesterone; and other preparations concerned
—— with radioactive iodine; *see* Iodine, radioactive
—— with roentgen rays; *see* Roentgen rays
TURNER'S SYNDROME treated by implantation of estradiol pellets, 447*

URATE: *see* Uric acid

UREA: *see* Blood; Nitrogen; Protein; Thiourea
URIC ACID: *see also* Creatinine; Gout; Nitrogen; Protein
—— and glutathione content of blood in diabetes mellitus, 313*
—— excretion in newborn infants; effect of ACTH on, 845*
—— excretion; response to ACTH test in organic pituitary disease, 871*
—— hyperuricemia in son of gouty father; effect of ACTH in, 835†
—— of blood in pemphigus foliaceus, 1591*
—— urinary; effect of ACTH on, in normal subjects during humid heat, 12*
URINE: *see also* Kidney
—— chemistry of; *see* Methods; Tests; and Urine, constituents
—— effects of administration of various substances on, in health and disease; *see* specific substance used
—— in disease; *see* specific disease
—— in pregnancy; *see* Pregnancy, diagnosis (tests)
—— renal function; *see* Kidney
CONSTITUENTS
Cellular
—— sediment; smear of, in premenstrual tension, 1579*

URINE (cont.)
CONSTITUENTS (cont.)
Chemical
—— adrenal compounds; *see* Adrenals; Addison's disease; Cushing's syndrome; Steroids
—— androgens; *see* Androgens; Steroids
—— calcium; *see* Calcium; Electrolytes; Parathyroids
—— chloride; *see* Chloride; Electrolytes; Sodium; Addison's disease
—— chorionic gonadotropin; *see* Gonadotropins; Pregnancy
—— compound F; *see* Adrenals, preparations and compounds
—— corticosteroids (corticoids, cortin); *see* Adrenals; Addison's disease; Cushing's syndrome; Steroids
—— creatinine; *see* Creatinine; Nitrogen; Uric acid
—— electrolytes; *see* Electrolytes
—— estrogens (estradiol, estrone); *see* Estrogens; Steroids
—— FSH: *see* Gonadotropins
—— gonadotropins; *see* Gonadotropins; Pituitary; Pregnancy
—— iodine compounds; *see* Iodine
—— iodine, radioactive; *see* Iodine, radioactive
—— 17-ketosteroids; *see* Steroids
—— lipids; *see* Lipids
—— *methods* for determination of constituents; *see* Methods; Tests
—— nitrogen; *see* Creatinine; Nitrogen; Protein; Uric acid
—— oxysteroids; *see* Adrenals; Steroids
—— pituitary hormones, other than gonadotropins; *see* Pituitary, preparations
—— potassium; *see* Potassium; Electrolytes
—— pregnanediol; *see* Pregnanediol; Pregnancy; Progesterone
—— protein; *see* Nitrogen; Protein
—— radioactive compounds; *see* Radioactive
—— radioactive iodine; *see* Iodine, radioactive
—— sodium; *see* Sodium; Electrolytes; Addison's disease
—— steroids; *see* Steroids
—— sugar; *see* Carbohydrate metabolism; Diabetes mellitus; Insulin; Adrenals
—— uric acid; *see* Uric acid; Nitrogen

UTERUS: *see also* Breast; Climacteric; Estrogens; Menstruation; Ovary; Pregnancy; Vagina
—— abortion; *see* Pregnancy
—— effect of progesterone on endometrium, 641*
—— endometrial implants, intraocular, in female rabbits with intact uteri; response to estrone, 830†
—— endometrium, after oral progesterone, 886*
—— endometrium; biopsy of; *see* Biopsy
—— endometrium of postmenopausal women treated with androgen and estrogen-androgen combination, 348*
—— endometrium unchanged following single injection of gonadal hormones, in treatment of amenorrhea, 615*
—— endometrium; *see also* Menstruation
—— excessive bleeding in some patients following implantation of extradiol pellets, 447*
—— fibroids; effect of acetoxypregnenolone in, 843†
—— labor; *see* Pregnancy
—— menstruation; *see* Menstruation; Climacteric
—— placenta; chorionic gonadotropin in; *see* Gonadotropins
—— postpartum bleeding due to endometrial hyperplasia, in diabetics treated with stilbestrol and progesterone, 603*
—— pregnancy; *see* Fetus; Pregnancy

VAGINA: *see also* Climacteric; Estrogens; Menstruation; Ovary; Pregnancy; Progesterone; Uterus
SMEAR
—— as diagnostic and prognostic aid in abortion, 675*
—— correlation of clinical diagnosis and glycogen index with, 831†
—— cyclic changes in vaginal but not in uterine mucosa, induced by single injection of gonadal hormones, in amenorrhea, 615*
—— effect of oral progesterone on, in amenorrhea, 886*
—— in pituitary hypogonadism with adrenal androgen deficiency; effect of treatment, 330*
—— in study of effect of I^{131} on gonadal function, 810†
—— in study of estrogen, androgen and estrogen-androgen combination in treatment of menopause, 1547*
—— in study of production of pseudopregnancy by estrogens, in the rat 830†

VAGINA (cont.)
SMEAR (cont.)
—— relation to menopausal symptoms; effect of implanted estradiol pellets, 447*
VAN METER Prize Award: *see* American Goiter Association
VASCULAR SYSTEM: *see also* Blood; Heart
—— blood pressure; *see also* specific disease, *e.g.*, Addison's
—— blood pressure; effect of DOCA on, 828†
—— blood pressure response to benzodioxane, 1*
—— cardiovascular renal disease and diabetic acidosis; corticosteroid excretion in, 307*
—— circulation; effect of cortisone on, 1312*
—— heart disease; *see also* Heart
—— vascular disease in diabetes, 828†
HYPERTENSION
—— associated with pheochromocytoma; benzodioxane test in, 897*
—— benzodioxane test in, 1*
—— essential; evaluation of I^{131} as diagnostic aid in, 1425*
—— experimental; relation of adrenal activity to, 819†
—— with cardiovascular renal disease; corticosteroid excretion in, 307*
VIRILISM: *see also* Adrenals, disorders; Cushing's syndrome; Hair; Hermaphrodism; Ovary
—— bioassay of urinary corticosteroids in, 230*
—— in five-year-old girl; remission and recurrence, 270*
—— in pseudohermaphrodism with hyperplastic deficient adrenals, 703*
—— 17-ketosteroid and 11-oxycorticosteroid excretion in, 230*
—— masculinization of women by androgen therapy, 348*
—— metabolic studies with ACTH in, 594*
—— somatosexual disorders in children, 24*
VITAMINS
—— A; in treatment of premenstrual tension, 1579*
—— ascorbic acid content of adrenals; *see* Adrenals, physiology
—— biotin; blood levels of, in chick; hormonal factors affecting, 806†
—— pantothenic acid, in study of relation between adrenal activity and experimental hypertension, 819†
—— dihydrotachysterol in treatment of pseudohypoparathyroidism, 1609*
—— wheat germ; *see* Wheat germ oil
VOCAL CORD paralysis, bilateral abductor; new intralaryngeal approach for arytenoidectomy in treatment of, 1118*

WATER: *see also* Kidney; Urine; Pituitary disorders, diabetes insipidus
—— antidiuretic substances of serum; relation to urinary corticosteroids, 318*
—— diuresis; urinary corticosteroid values in, 1559*
—— edema, in premenstrual tension; effect of vitamin A, 1579*
—— metabolism in pseudohermaphrodism with hyperplastic deficient adrenals, 703*
WEIGHT: *see also* Dwarfism; Growth; Nutrition; Obesity
—— effect of thiouracil and iodinated compounds on, in animals, 1485*
—— increased height and weight of boys, as manifestation of anabolic effects of testosterone, 815†
—— of castrated rat; effect of testosterone propionate on, 1533*
—— of domestic animals; effect of hormone treatment on, 1142*
—— weighing the markedly overweight, 359*
WHEAT GERM OIL
—— concentrate, orally, as aid in reduction of pregnancy complications, 832†
—— factors of, affecting sex organs of hypophysectomized rats, 807†

X-RAYS: *see* Roentgen rays